

PRICE LIST



M.G. CABLE INDUSTRIES

Manufacturers : GI Cable Trays & All Earthing Materials

3/5, Ground Floor, Takwadi, Opp Yevale Tea Centre, Kalbadevi Road, Mumbai-400002. • Tel.: +91 22 4973 3629, 4913 7629
Cell : +91 96995 47310 • Email : mgcables29@gmail.com / info@mgcables.com • Website : www.mgcables.com

Authorised Stockist : **POLYCAB**
WIRES & CABLES



metroLITE
WIRES & CABLES

ELECTROLITE
WIRES & CABLES



APPROVED BY :

POLICE, FIRE BRIGADES, GOVT. DEPTS, PUBLIC SECTOR UNDERTAKINGS, ORDNANCE FACTORIES, DEPTS. OF ATOMIC ENERGY, ONGC, MINES, RAILWAYS, MUNICIPALITIES, STATE ELECTRICITY BOARDS, STATE ROAD TRANSPORT CORPS., PORTS, DEFENCE, MILLS, ETC.


Sirens are widely used as a very effective announcer for Textile Mills, Factories, Workshops, Masjids, Banks, Ships, Milk Centres etc. Also used as Alarm in Fire Engines, Police Vans, Ambulances and Air Raid Signals during war.

SIRENS

PRICES EFFECTIVE FROM 01-09-2016



HORIZONTAL
SINGLE MOUNTING SIREN



HORIZONTAL
DOUBLE MOUNTING SIREN



VERTICAL
SINGLE MOUNTING SIREN

A. ELECTRICALLY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
(i) Horizontal OR Vertical Single Mounting Siren	0.10	1/80	SS-010	6,250/-
Single Phase	0.20	1/40	SS-020	7,250/-
220/250 V	0.50	1/20	SS-050	7,850/-
6000 RPM	1.00	1/10	SS-100	8,270/-
50Hz, AC	1.50	1/4	SS-150	12,130/-
	2.00	1/4	SS-200	12,520/-
(ii) Horizontal Double Mounting Siren	0.20	1/40	DS-020	8,700/-
Single Phase	0.50	1/20	DS-050	9,010/-
220/250 V	1.00	1/10	DS-100	10,400/-
6000 RPM	1.50	1/4	DS-150	12,170/-
50Hz, AC	3.25	1/2	DS-325	15,240/-
(Vertical)	3.25	1/2	VDS-325	15,660/-
(iii) Vertical Single Mounting Siren	0.20	1/8	VST-020	25,390/-
Three Phase	0.50	1/4	VST-050	27,150/-
400/440 V	1.00	1/2	VST-100	29,740/-
2800 RPM	1.50	1	VST-150	30,750/-
50Hz, AC	3.25	2	VST-325	36,670/-
	5.00	3	VST-500	44,050/-
	8.00	5	VST-800	56,450/-

SIREN RANGE IS ALWAYS DIAMETRICAL

OVER SIX DECADES OF SERVICE

SIRENS


**HORIZONTAL
DOUBLE MOUNTING SIREN**



**HORIZONTAL SINGLE
MOUNTING PURE AC SIREN**



**HORIZONTAL DOUBLE
MOUNTING PURE AC SIREN**



**HORIZONTAL SINGLE
MOUNTING FLAME PROOF SIREN**



**HORIZONTAL DOUBLE
MOUNTING FLAME PROOF SIREN**

A. ELECTRICALLY OPERATED SIRENS		AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
(iv)	Horizontal Double Mounting Siren	0.20	1/8	HDT-020	39,090/-
	Three Phase	0.50	1/4	HDT-050	41,730/-
	400/440 V	1.00	1/2	HDT-100	45,630/-
	2800 RPM	1.50	1	HDT-150	46,090/-
	50Hz, AC	3.25	2	HDT-325	50,120/-
		5.00	3	HDT-500	63,990/-
		8.00	5	HDT-800	81,470/-
		11.00	7.5	HDT-1100	1,76,500/-
		16.00	10	HDT-1600	2,06,690/-
(v)	Horizontal Single Mounting Siren	0.20	1/8	HST-020	25,880/-
	Three Phase	0.50	1/4	HST-050	29,790/-
	400/440 V	1.00	1/2	HST-100	30,360/-
	2800 RPM	1.50	1	HST-150	31,400/-
	50Hz, AC	3.25	2	HST-325	34,040/-
B. PURE AC SIRENS (CARBON BRUSHLESS)					
(i)	Horizontal Single Mounting Siren	1.00	1/2	PS-100	26,270/-
	Single Phase	1.50	1/2	PS-150	29,440/-
	220/250 V	3.25	1	PS-325	37,730/-
	2800 RPM	5.00	1	PS-500	47,990/-
(ii)	Horizontal Double Mounting Siren	1.00	1/2	PD-100	29,580/-
	Single Phase	1.50	1/2	PD-150	33,200/-
	220/250 V	3.25	1	PD-325	40,730/-
	2800 RPM	5.00	1	PD-500	61,850/-
	50Hz, AC	8.00	3	PD-800	80,580/-
C. FLAME PROOF SIRENS (GROUP II A & II B)					
(i)	Horizontal Single Mounting Siren	0.50	1/4	FS-050	66,910/-
	Three Phase	1.00	1/2	FS-100	72,740/-
	400/440 V	1.50	1	FS-150	80,370/-
	2800 RPM 50Hz, AC	3.25	2	FS-325	95,810/-
(ii)	Horizontal Single Phase Siren	0.50	1/4	FSS-050	69,910/-
	220/250 V	1.00	1/2	FSS-100	75,740/-
	2800 RPM	1.50	1	FSS-150	84,370/-
	50 Hz, AC	2.00	1	FSS-200	88,900/-
(iii)	Horizontal Double Mounting Siren	0.50	1/4	FD-050	72,250/-
	Three Phase	1.00	1/2	FD-100	77,050/-
	400/440 V	1.50	1	FD-150	89,240/-
	2800 RPM	3.25	2	FD-325	1,00,120/-
	50Hz, AC	5.00	3	FD-500	1,27,160/-
		8.00	5	FD-800	1,58,400/-
		11.50	7.5	FD-1150	1,96,420/-
		16.00	10	FD-1600	2,38,660/-
(iv)	Horizontal Double Mounting Siren				
	Single Phase	0.50	1/4	FDD-050	76,250/-
	220/250 V	1.00	1/2	FDD-100	81,050/-
	2800 RPM	1.50	1	FDD-150	93,240/-
	50Hz, AC	2.00	1	FDD-200	97,240/-

GONG BELLS ★ HOOTERS ★ BUZZERS

**DOUBLE
GONG BELL**
GONG BELL

ALARM BELL (ROUND)

PANEL HOOTER

SPEAKER HOOTER

DC HOOTER

**FLUSH TYPE
HOOTER**

96X96 HOOTER

BUZZER

A. GONG BELLS	SIZE	MODEL	PRICE RS.
Single Phase 220/250V	7 Cms (3")	GB-07	1,070/-
Also: 6/12/24/32/48/110V	10 Cms (4")	GB-10	1,470/-
AC and/or DC	15 Cms (6")	GB-15	1,760/-
	22 Cms (9")	GB-22	2,290/-
	30 Cms (12")	GB-30	2,630/-
(Double)	15 Cms (6")	DGB-15	2,170/-

B. ALARM BELLS (ROUND)

Single Phase 220/250V	5 Cms (2")	RAB-05	530/-
AC 50Hz	7 Cms (3")	RAB-07	880/-
	10 Cms (4")	RAB-10	1,200/-
	15 Cms (6")	RAB-15	1,430/-
	20 Cms (8")	RAB-20	1,890/-
	25 Cms (10")	RAB-25	2,050/-
	30 Cms (12")	RAB-30	2,130/-

C. HOOTERS

(i) Panel Hooters	7 Cms (3")	PH-07	850/-
Single Phase AC 220/250V	10 Cms (4")	PH-10	1,280/-
Also: 6/12/24/32/48/110V	15 Cms (6")	PH-15	1,410/-
(ii) Speaker Hooters			
Single Phase AC 220/250V	10 Cms (4")	SH-10	1,280/-
Also: 6/12/24/32/48/110V	20 Cms (8")	SH-20	2,500/-
(iii) Industrial Hooters (DC Only)			
6/12/24/48/110/220V		IH-DC	2,250/-
(iv) Flush Type Hooters			
Single Phase AC 220/250V	10 Cms	FH-10	1,230/-
Also: 6/12/24/32/48/110V	13 Cms	FH-13	1,360/-


D. 96 X 96 ELECTRONIC HOOTER


Hooters Working On Single Phase AC 220/250 V
Also: 6/12/24/48/110 V AC and / or DC

HOOTER	96 mm X 96 mm	H-96X96	1,910/-
PEIZO	96 mm X 96 mm	PH-96X96	1,910/-
PEIZO With LED	96 mm X 96 mm	PL-96X96	3,170/-
HOOTER (multi tone)	96 mm X 96 mm	HMT-96X96	4,010/-
PEIZO With LED (multi tone)	96 mm X 96 mm	PLMT-96X96	6,530/-

E. BUZZERS

Single Phase 220/250V	10 Cms (4")	BZ-10	1,090/-
Also: 6/12/24/48/110V	15 Cms (6")	BZ-15	1,280/-
AC and / or DC			

SIRENS

BATTERY OPERATED SIREN

WALL MOUNTING SIREN
FLOOR MOUNTING SIREN

ELECTRONIC SIREN

PA SYSTEM

WARBLING RELAY

ADVANCED SIREN CONTROLLER

D. BATTERY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
Horizontal Single Mounting	1.00	1/10	B-100	7,490/-
6000 RPM DC	1.50	1/4	B-150	9,660/-
Available volts (12, 24)				
Horizontal Double Mounting	3.25	1/2	BD-325	13,990/-
6000 RPM DC				
Available volts (12, 24)				
E. HAND OPERATED SIRENS				
(i) Wall Mounting	0.50		HW-050	6,390/-
(ii) Wall Mounting	1.00		HW-100	7,300/-
(iv) Floor Mounting	1.50		HF-150	19,950/-
F. ELECTRONIC SIREN				
SINGLE TONE SIREN	0.50		ES-050	8,560/-
6/12/24/48/110/220 Volts	1.00		ES-100	9,770/-
AC and/or DC	1.50		ES-150	10,840/-
	3.50		ES-350	15,020/-
DOUBLE TONE SIREN	0.50		ESDT-050	10,520/-
	1.00		ESDT-100	11,290/-
	1.50		ESDT-150	12,380/-
	3.50		ESDT-350	16,540/-
TRIPLE TONE SIREN	0.50		ESTT-050	12,070/-
	1.00		ESTT-100	12,830/-
	1.50		ESTT-150	13,910/-
	3.50		ESTT-350	18,420/-
SIREN FOR AMBULANCE	0.25		AMB-025	5,700/-
VEHICLES 12V/24V DC ONLY	0.50		AMB-050	7,240/-
Also available in 110V & 220V AC	1.00		AMB-100	11,400/-
DOUBLE TONE PA SYSTEM				
FOR VEHICLES 12V/24V AC ONLY	1.00		DAMB-100	13,580/-
Also available in 110V & 220V AC				
G. WARBLING RELAY (SWITCH) VOLTS				
(Howling Tones for Sirens)	12		WRB	11,360/-
4 Sec ON & 4 Sec OFF	250		WRS	11,360/-
Automatically	440		WRT	11,360/-
H. ADVANCED SIREN CONTROLLER				
Single Phase 220/250V AC 50Hz			KEI-ASC-S	75,580/-
Three Phase 400/440V AC 50Hz			KEI-ASC-T	82,140/-
FEATURES :				
1. Normal Factory Siren				
2. Fire Alarm Siren				
3. On-Site Heavy Chlorine Leak Emergency				
4. Off-Site Heavy Chlorine Leak Emergency				
5. All Alarm Conditions Clear Siren				
(Also available in other modes made to order.)				

**PORTABLE RECHARGEABLE SIREN****Introduces****Portable Rechargeable Siren**

Introduces yet another master piece in the field of Safety & Security. Portable Rechargeable Siren is carefully designed to suit every emergency situations in today's life. Follow us to know more about the Product.

Features

- Type : Portable, Hand Held
- Enclosure : HD ABS body
- Speaker : Piezo water proof Multiple Tone
- Tone : Multiple Tone
- (To Indicate Various Emergency Situation along with All Clear)
- Audibility : 106 db @ 1 meter distance.
- Battery : Sealed Dry Rechargeable
- Volt : 12 V Dc
- Ampere : 7 Ampere per hour
- Battery Charger : SMPS Charger, Input Voltage Range.: 90 V Ac to 265 V Ac.
- Weight : With Battery 3.380 kgs
Without Battery: 980 gms

INDICATORS

DC FUSE BLOW N
BATTERY CHARGING
LOW BATTERY
FULL CHARGE
TONE SELECTION SW ITCH

APPLICATION :

Police Patrolling Force, Security
Gaurds at Residential Complex,
Railways for Disaster Management,
Border Security force, Defense, All
other areas for Safety & Security
Annunciation.

PRICE Rs : 8,900/-



DRAGON SEARCH LIGHT

Salient Features

Operating Range of about 1000 meters. (i.e...1km Approx.)

Technically Designed Deep Parabolic Reflector for long throw

Reliable Micro Controller based design.

Brilliant 55 Watt halogen beam

Selectable Continuous, timer and flasher functions.

Approx. 70 minutes (+ 10%) of constant use at Full Load at full Charge.

Rugged & weather resistant. moulded Super Tough poly carbonate

Body minimum 2 mm thickness housing .

Easy - to- carry with moulded handle and shoulder strap.

Uses internal 12V /7Ah sealed lead - acid Dry - Rechargeable Battery .

Internal built in SMPS battery charger for 90 to 270 Volt operation

Low battery warning indicates exhausted battery.

Automatic low - voltage cut - off prevents deep discharge

High Reliability Mosfet Switching for smooth transitions

Typical User. paramilitary Forces, Defence forces, police, Airports, Ports,

Security agencies, Industries fire fighting Vital priority installations,

Optionally available with panic Siren, Remote Switch Facility

SWITCH SELECTION

System On./Off

Mode selection

* Flasher

Increment / Decrement

*Dimmer

Increment / Decrement

INDICATORS

SYSTEM ON : CONTINUOUS GREEN MODE

TIMER : RED

CONTINUOUS : GREEN

BATTERY LEVEL STATUS

OK : GREEN

LOW : RED

ADVANCE LOW : AMBER

BATTERY FULL : BLUE

CHARGE : RED

DC FUSE BROWN : AMBER

PRICE Rs : 8,500/-

AUDIO VISUAL ALARMS



SIREN WITH FLASHER LIGHT



AUDIO VISUAL ALARM

B. AUDIO VISUAL ALARM WITH REVOLVING / FLASHER LIGHTS

	TYPE	MODEL	PRICE RS.
110/220V AC	SIREN WITH FLASHER LED LIGHT	SS-100 FLED	15,580/-
110/220V AC	SIREN WITH REVOLVING LED LIGHT	SS-100 RLED	15,580/-
6/12/24/48/110/220 V AC and/DC	REVOLVING	R-AVA	7,240/-
	FLASHER	F-AVA	6,800/-
	FLASHER LED TYPE	FLED-AVA	8,140/-

C. AVIATION OBSTRUCTION LIGHT TYPE


Working on single phase AC 220/250V

Color:Red/Green/Amber


i). Standard Type	Bulb	AVIN	4,380/-
	LED	AVIL	6,800/-
ii). Light Duty Type	LED	AVIL-LD	9,880/-
iii). Heavy Duty / IP65 (Single Light)	Bulb	AVIN-HD-S	16,440/-
	LED	AVIL-HD-S	20,120/-
iv). Heavy Duty / IP65 (Double Light)	Bulb	AVIN-HD-D	18,420/-
	LED	AVIL-HD-D	24,540/-
v). Photo cell switch for the above Lights		PTCL	1,560/-

E. TELEPHONE LOUD RINGER

External Interface for Telephone Loud Ringing Working on Telephone Working Voltage with Potential Free Contact.	TLR-6A	3,620/-
---	--------	---------



AVIATION OBSTRUCTION LIGHT



TELEPHONE LOUD RINGER

EMERGENCY LIGHTS & REVOLVING /FLASHER LIGHTS

 EMERGENCY
LIGHT BULB LED MODEL

 1 FT. EMERGENCY LIGHT
SINGLE TUBE / LED

 2 FT. EMERGENCY LIGHT
DOUBLE TUBE / LED

 2 FT. EMERGENCY LIGHT
SINGLE TUBE / LED

 MAINTENANCE FREE
DRY BATTERY

 REVOLVING
LIGHT

 FLASHER LIGHT
WITH LED

A. LED / BULB MODEL EMERGENCY LIGHTS

	MODEL	PRICE RS.
(i) With Battery	ELBB (LED)	3,560/-
(ii) Without Battery	ELB (LED)	2,660/-
(iii) With Battery	ELBB (BULB)	3,140/-
(iv) Without Battery	ELB (BULB)	2,240/-
(v) Extension Lamp	ELX	680/-
MINI BULB MODEL		
(i) With Battery	ELMB	2,890/-
(ii) Without Battery	ELM	1,990/-

B. FLUORESCENT EMERGENCY LIGHTS

(a) 1 Ft. Single Tube		
(i) With Battery	ELTB-1	4,470/-
(ii) Without Battery	ELT-1	3,570/-
1 Ft. Single LED Tube		
(i) With Battery (LED)	ELTB-1 (LED)	5,770/-
(ii) Without Battery (LED)	ELT-1 (LED)	4,870/-
(b) 2 Ft. Single Tube		
(i) With Battery	ELTB-2	4,820/-
(ii) Without Battery	ELT-2	3,920/-
2 Ft. Single LED Tube		
(i) With Battery (LED)	ELTB-2 (LED)	6,220/-
(ii) Without Battery (LED)	ELT-2 (LED)	5,320/-
(c) 2 Ft. Double Tube		
(i) With Battery	ELTB-22	5,350/-
(ii) Without Battery	ELT-22	4,450/-
2 Ft. Double LED Tube		
(i) With Battery	ELTB-22 (LED)	7,350/-
(ii) Without Battery	ELT-22 (LED)	6,450/-

D. MAINTENANCE FREE DRY BATTERY

6V, 10 AH. Size: 115mm(L) x 50mm(W) x 120mm(H)	MFDB (6V)	900/-
12V, 4.5 AH. Size: 90mm(L) x 70mm(W) x 100mm(H)	MFDB (12V)	1,200/-

A. REVOLVING / FLASHER LIGHTS
VOLTS

COLOR: RED/AMBER/BLUE/GREEN	12	RL-12/FL-12	2,960/-
Bulb Type	24	RL-24/FL-24	2,960/-
RL - Revolving Light	110	RL-110/FL-110	2,960/-
FL - Flasher Light	220	RL-220/FL-220	2,960/-
COLOR: RED/AMBER/BLUE/GREEN	12	FLED-12	6,310/-
LED Type	24	FLED-24	6,310/-
FLED - Flasher Light With LED	110	FLED-110	6,310/-
(Fixed type Light also available)	220	FLED-220	6,310/-

BLOWERS


PORTABLE BLOWER


 VARIABLE SPEED
PORTABLE BLOWER


CENTRIFUGAL BLOWER


 CENTRIFUGAL EXHAUST
BLOWER

A. PORTABLE BLOWERS
MODEL
PRICE RS.

 (With Bag Assembly)
(Plastic Body)

i) Rated Input Power	600 W	KPB 20	3,960/-
Capacity	600 mm ²		
No Load Speed	13000 rpm		
Voltage & Frequency	220V-50Hz		
ii) Blowing Rate	0-3.8 m ³ /min	KPB 20 II	5,200/-
Voltage & Frequency	220V-50Hz	(Variable Speed)	
Rate Input Power	550 W		
No Load Supply	0-16000 rpm		

B. CENTRIFUGAL BLOWER
RPM :2800

VOLTAGE
C.F.M.
W.G.P.
H.P.
PRICE RS.

K-101	220 OR 440	350	4"	0.50	12,000/-
K-102	220 OR 440	310	6"	0.50	12,000/-
K-103	220 OR 440	210	8"	0.50	12,690/-
K-104	220 OR 440	350	6"	1.00	18,290/-
K-105	220 OR 440	280	12"	1.00	20,110/-
K-106	220 OR 440	570	12"	2.00	24,310/-
K-107	220 OR 440	390	16"	2.00	27,610/-
K-108	440	850	12"	3.00	30,420/-
K-109	440	600	16"	3.00	34,900/-
K-110	440	380	24"	3.00	35,750/-
K-111	440	1400	12"	5.00	39,770/-
K-112	440	910	16"	5.00	45,670/-
K-113	440	585	26"	5.00	45,670/-
K-114	440	2010	12"	7.50	46,770/-
K-115	440	1410	16"	7.50	53,450/-
K-116	440	490	30"	7.50	53,450/-
K-117	440	2825	12"	10.00	58,080/-
K-118	440	2010	16"	10.00	66,690/-
K-119	440	910	32"	10.00	66,690/-

C. CENTRIFUGAL EXHAUST BLOWER

MODEL	PRESSURE IN WATER GAUGE W.G.P. Inches/mm (Approx)		CAPACITY PER MINUTE C. Feet/C.Meter (Approx)		POWER OF 1440 / 2880 (Nominal) R.P.M. MOTOR		PRICE OF BLOWER 220 V AC		PRICE OF BLOWER 440 V AC			
							ELECTRIC MOTOR		ELECTRIC MOTOR			
	1440	2880	1440	2880	H P / WK	1660	3310	1660	3310			
K-50	1	2	51	1000	800	24	0.5	.37	26,580/-	23,120/-	24,120/-	20,970/-
K-100	2	4	102	1600	1000	28	1	.75	34,260/-	29,780/-	30,400/-	26,430/-
K-200	2.5	6	152	2600	1400	46	2	1.5	43,950/-	38,230/-	40,370/-	35,130/-
K-300	3	8	203	3200	1600	45	3	2.2			51,310/-	44,640/-
K-500	4	12	305	4000	2000	56	5	3.7			66,510/-	55,240/-
K-750	5	14	356	4800	3000	81	7.5	5.5			84,590/-	73,580/-
K-1000	5	16	405	6400	4000	112	10	7.5			1,05,780/-	91,990/-
K-1500	6.5	20	508	7400	4000	112	15	11			1,66,720/-	1,44,990/-
K-2000	7	30	762	9150	6000	168	20	15			1,93,550/-	1,68,320/-

ANY TYPE OF BLOWER / EXHAUSTER / BELT-DRIVE / COUPLE DRIVE MADE TO ORDER



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

SPARES

SIRENS Single Phase 220/250 V 6000 RPM 50 C/s AC and or DC		ELECTRICALLY OPERATED SIRENS		AUDIBLE RANGE IN KMS. (PRICE RS.)					
				0.10	0.20	0.50	1.00	1.50	2.00
i) Horizontal Single Mounting	i) Armature			1,680/-	1,680/-	1,680/-	1,680/-	3,330/-	3,330/-
	ii) Field Coil			1,390/-	1,390/-	1,390/-	1,390/-	2,490/-	2,490/-
	iii) Carbon Holder with Cap (Pair)			200/-	200/-	200/-	200/-	210/-	210/-
	iv) Carbon Brush (Pair)			160/-	160/-	160/-	160/-	160/-	160/-
ii) Horizontal Double Mounting	i) Armature			3,060/-	3,060/-	3,060/-	3,060/-	4,070/-	4,070/-
	ii) Field Coil			1,680/-	1,680/-	1,680/-	1,680/-	2,160/-	2,490/-
	iii) Carbon Holder with Cap (Pair)			200/-	200/-	200/-	200/-	210/-	210/-
	iv) Carbon Brush (Pair)			160/-	160/-	160/-	160/-	200/-	200/-
Horizontal 6000 RPM DC (in 12, 24 Volts)		BATTERY OPERATED SIRENS		AUDIBLE RANGE IN KMS. (PRICE RS.)					
						1.00	1.50	3.25	
	i) Armature			1.00 & 1.50		2,230/-	4,070/-	2,670/-	
	ii) Field Coil			(Single Mounting)		1,720/-	2,630/-	2,990/-	
	iii) Carbon Holder with Cap (Pair)			3.25		220/-	270/-	270/-	
	iv) Carbon Brush (Pair)			Double Mounting		210/-	220/-	220/-	
		HAND OPERATED SIRENS		AUDIBLE RANGE IN KMS. (PRICE RS.)					
				0.50		1.00		1.50	
i) Wall Mounting	ii) Floor Mounting	Gear Set		2,360/-		3,220/-		4,750/-	
GONG BELLS		GB-10	GB-15/DGB-15	GB-22		GB-30			
i) Coil		430/-	540/-	650/-		850/-			
ii) Hammer		290/-	370/-	510/-		570/-			
iii) Gong		270/-	370/-	370/-		630/-			
HOOTERS		PH-7	PH-10 & SH-10	PH-15		SH-20			
i) Coil		320/-	460/-	600/-		660/-			
ii) Diaphragm		130/-	210/-	220/-		250/-			
BUZZERS		BZ-10			BZ-15				
i) Coil		400/-			490/-				
ii) Hammer		270/-			270/-				
BULB MODEL EMERGENCY LIGHTS		PRICE RS.	2 FT. FLUORESCENT EMERGENCY LIGHTS			PRICE RS.			
i) Transformer		630/-	i) Complete circuit for emergency light			3,790/-			
ii) Relay		540/-	ii) Transformers (2 nos.)			1,190/-			
iii) Socket for Relay		130/-	iii) Relay			510/-			
iv) Glass only for the Lamp		160/-							
v) 6 Volts 18 Watt Bulb		130/-							

TERMS & CONDITION :

- Prices are Ex-godown Mumbai. Packing & Forwarding Charges will be extra.
- GST will be charged extra as applicable at the time of supply.
- Orders must be accompanied with an advance of 25% of the value.
- Payment against delivery/through Bank. (Bank charges to respective accounts)
- Guarantee :
 - Fixtures carry a guarantee of 12 months from the date of supply,
 - Batteries carry a guarantee of 6 months from the date of supply,
 - Bulbs / Tubes (In Emergency Lights) carry no guarantee.
- This price list supersedes all our previous price lists / prices are subjected to change without notice.
- Subject to Mumbai Jurisdiction only.
- Export prices available on request.

Registered Small Scale Industry

Govt. of Maharashtra Regn. No. 11-07-16490-PMT-SSI Dt. 29.9.1979.
National Small Ind. Corpn. Ltd, Regn. No. NSIC-GPB-RS-K-137 Dt. 24-12-1990.