



M.G. CABLE INDUSTRIES

Manufacturers : GI Cable Trays & All Earthing Materials

3/5, Ground Floor, Takwadi, Opp Yevale Tea Centre, Kalbadevi Road, Mumbai-400002. • Tel.: +91 22 4973 3629, 4913 7629
Cell : +91 96995 47310 • Email : mgcables29@gmail.com / info@mgcables.com • Website : www.mgcables.com

Authorised Stockist :



TEKNIC



Control and Signaling Devices Ø 22.5 Metal Series



Control and signalling devices Ø 22.5

Salient features

This range of Ø 22.5 pushbuttons, selector switches, illuminated switches, illuminated selector switches and pilot lights have been designed to provide the following salient features:


- Economy of space
- Aesthetically elegant
- SELF WIPING CONTACT
- Robust in materials of construction
- Simple to fix - screw driver is all that required
- Safe in operation
- Fixing method unaffected by excessive vibration-unit does not rotate
- Very good flame resistance
- Protection against electric shock (unit earthed)
- Shrouded terminals

Actuators

The circular actuators have chrome plated metal bezels, and are interchangeable on the different types of contact elements.

Contact elements

The contact elements are double break and have self wiping contacts. The elements are interchangeable and can be stacked without additional hardware. 1 to 6 elements (NO or NC) can be used with non illuminated actuators, whereas, 1 to 4 elements (NO or NC) can be used for illuminated actuators. **Gold plated NO and NC contact elements for low voltage, low current switching circuits < 25 mA, are available.**



Illuminated pushbuttons and pilot lights

Pilot lights and illuminated switches are suitable for direct connection, through series resistor, through series resistor and diode, using bayonet cap filament bulb type BA9S, as follow :

Supply voltage for direct connection without series resistor : 6V-130V

Supply voltage through series resistor : 12V-415V

Supply voltage through series resistor and diode : 230V AC

Bulb : Filament, type BA9S with OAL max., 28 mm

LED illuminated actuators & pilot lights are available with integral LED, LED in bayonet cap suitable for operating at various voltages namely 6V, 12V, 24V, 30V, 48V, 110V, 230V, AC or DC and 415V AC. LED bulbs with bayonet cap are constructed in the standard BA9S design with OAL max. 28 mm. On request an extra short circuit protection consisting of built in fuse in the LED modules can be provided.

Pilot lights are available with built in transformers suitable for operating at 230, 110 volts AC input and 6V, 12V and 24V output.


Terminals

Contact elements and pilot lights are designed to have shrouded terminals with combi screws.

Fixing

The control devices Ø 22.5 can be fixed in any position on panels of 1 to 6 mm thickness. We recommend minimum fixing centers of 30 mm X 40 mm. However, the dimensions and configuration should be decided on the basis of the application. The actuators and the lense assemblies lock on to the holding bracket using a bayonet type of fixing which enables a simple and fast assembly. The complete assembly is locked into position on the panel by two M4 pointed screws on the bracket, tightened equally from the rear. The screws should be tightened adequately to such an extent as to pierce through the paint on the panel from inside. These screws also ensure the earthing of the unit.

Fixing arrangement



Electrical and mechanical characteristics

Environment

Standard conformity

: CSA - C22.2 No. 14-95, UL508, IEC 947 - 5 (1) 1990, IS 13947

Approvals

: ASTA UK certified as per IEC 947 - 5 - (1) 1990

: CSA - C22.2 No. 14-95, UL508

Degree of protection

: IP 65 as per IEC 529, NEMA 4X, 12 as per UL 50

Ambient

: - 25°C to + 70°C

Operating position

: All positions

Contact Block

Rated insulation voltage

: 500 V

Rated thermal current

: 10 A

Contact operation

: Self wiping, slow break NO or NC

Make and break capacity

As per IEC 947 - 5 - (1) 1990

: AC 15 4 A, 415V AC

: DC 13 0.5 A, 110V DC

: A 600 Q600

As per CSA - C22.2 No. 14-95, UL508,

: minimum 1 x 0.5 mm², maximum 2 x 1.5 mm² or 1 x 2.5 mm²

Terminal capacity

: 1-2 for NC, 3-4 for NO

Terminal marking

: 10 A cartridge fuse HRC type, rated for resistive loading

Short circuit protection

: Over 1 million operations

Mechanical life

Electric rating

(for 1 million operation cycles, operation at 3600 cycles per hour, load factor 0.5)

	V	24	120	230		V	24	110
: AC 15	A	5	4	3	DC 13	A	0.5	0.2

Modules for pilot light & illuminated switches with integral LED / multichip LED bulb (BA9S cap)

Current consumptions (applicable to all colours)

24 VAC/DC, 110 VAC & 240 VAC

: max. 20 mA

110 VDC

: max. 15 mA

220 VDC

: max. 10 mA

Service life (at nominal voltage and at

: 100,000 hours

ambient temperature of 25°C)

Voltage limits (nominal voltage)

: < 20% of rated voltage >

Short circuit protection

: on specific request

Terminal capacity

: min. 1 x 0.5 mm², max. 2 x 1.5 mm² or 1 x 2.5 mm²

Control and signalling devices Ø 22.5


Ordering instructions

1. Actuators, illuminated actuators, contact elements, lense assemblies & pilot lights can all be ordered separately or in combination.

2. The type numbers of contact elements are : NO: Actuator mounting : S1, S3 Note:
Individual mounting : S5, S7 S3, S4, S7, S8 are gold plated contacts
NC: Actuator mounting : S2, S4 suitable for low voltage, low current
Individual mounting : S6, S8 switching circuits < 25 mA

3. Some examples of type numbers:

Actuator : Type 2AF3 is flush actuator, GREEN
Pilot light : Type 2PLB4 is pilot light without series resistor, RED
Complete pushbutton : Type 2PSF411 is flush pushbutton, RED, with 1NO+1NC contact elements



Accessories and spares

Legend plates

Legend plates 30 x 40 mm are supplied with the following standard texts:

START FORWARD UP OPEN AUTO SLOW RESET ON RIGHT TRIP
STOP REVERSE DOWN CLOSE HAND FAST INCH OFF LEFT POWER ON

Legend plate Ø 60 mm yellow with black characters for **EMERGENCY STOP**



Filament bulb

Filament bulb type BA9S, OAL 28mm

Voltage	: 6	12	24	30	48	60	130
Watts	: 1	2	2	2	2	2	2,6



LED bulb

LED multichip bulb type BA9S, OAL 28mm

Colour	: White	Green	Red	Amber	Blue	Yellow	V	W
Type No.	: MCB9124	MCB9324	MCB9424	MCB9524	MCB9624	MCB9824	24	0,5
	MCB91110	MCB93110	MCB94110	MCB95110	MCB96110	MCB98110	110	1,0
	MCB91230	MCB93230	MCB94230	MCB95230	MCB96230	MCB98230	230	1,0



Lenses

Colour of lense	: Translucent White	Green	Red	Amber	Blue	Clear	Yellow
For pilot lights with filament bulb	2PLL1	2PLL3	2PLL4	2PLL5	2PLL6	2PLL7	2PLL8
For illuminated actuators with filament bulb (flush/projecting)	2LAL1	2LAL3	2LAL4	2LAL5	2LAL6	2LAL7	2LAL8
For pilot lights with LED	2PLL1L	2PLL3L	2PLL4L	2PLL5L	2PLL6L	2PLL7L	2PLL8L
For illuminated actuators with LED (flush/projecting)	2LAL1L	2LAL3L	2LAL4L	2LAL5L	2LAL6L	2LAL7L	2LAL8L




Push Push mechanism for converting spring return actuator into stay put type

Type No.: 2PPM




Adaptor for fixing Ø 22.5 devices in Ø 30.5 cutout.

Type No. : 2ADP



Fixing flange

Type No. : 2BRK



Padlock

For mushroom actuator : type no. 2PAM

For projecting actuator : type no. 2PAP



Boots for booted actuators

Colour of Boot	: Black	Green	Red	Blue	Yellow
Type No	: 2BT2	2BT3	2BT4	2BT6	2BT8



Boot for non ill. flush actuator

Colour of Boot	: Clear
Type No	: 2BT7



Boot for flush / proj. ill actuator

Colour of Boot	: Clear
Type No	: 2ALBT7



Boot for twin actuator

Colour of Boot	: Clear
Type No	: 2ATBT7



Boot for twin ill. actuator

Colour of Boot	: Clear
Type No	: 2ATLBT7




Bulb extractor

Type No. : 2BA9SE



Blanking plug for Ø 22.5 hole, black

Type No. : 2BP2



TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

METALLIC SERIES

MOMENTARY ACTUATORS

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		White	2AF1	54.50
	Flush	Black	2AF2	54.50
		Green	2AF3	54.50
		Red	2AF4	54.50
		Blue	2AF6	54.50
		Yellow	2AF8	54.50
		White	2AF1A	70.50
	Flush with arrow marking	Black	2AF2A	70.50
		Green	2AF3A	70.50
		Red	2AF4A	70.50
		Blue	2AF6A	70.50
		Yellow	2AF8A	70.50
		White	2AP1	54.50
	Projecting	Black	2AP2	54.50
		Green	2AP3	54.50
		Red	2AP4	54.50
		Blue	2AP6	54.50
		Yellow	2AP8	54.50
				
	Flush Relay Reset	White	2AF1RR	72.00
		Black	2AF2RR	72.00
		Green	2AF3RR	72.00
		Red	2AF4RR	72.00
		Blue	2AF6RR	72.00
		Yellow	2AF8RR	72.00
				
	Recess head	White	2AF1RH	87.00
		Black	2AF2RH	87.00
		Green	2AF3RH	87.00
		Red	2AF4RH	87.00
		Blue	2AF6RH	87.00
		Yellow	2AF8RH	87.00
				
	Booted	Black	2AB2	89.50
		Green	2AB3	89.50
		Red	2AB4	89.50
		Blue	2AB6	89.50
		Yellow	2AB8	89.50

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

METALLIC SERIES

MUSHROOM ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		Black	2AM2	88.50
	Momentary Ø 40mm	Green	2AM3	88.50
		Red	2AM4	88.50
		Blue	2AM6	88.50
		Yellow	2AM8	88.50
				
	Latching	Black	2AMLS2	122.50
	Ø 30mm	Red	2AMLS4	122.50
				
	Latching	Black	2AML2	122.50
	Ø 40mm	Red	2AML4	122.50
				
	Push-Pull	Black	2AMPP2	122.50
	Ø 40mm	Red	2AMPP4	122.50
				
	Latching	Black	2AMLKB2	246.00
	with Key	Red	2AMLKB4	246.00
	Ø 40mm			

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

METALLIC SERIES

MUSHROOM ACTUATORS

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
				
	Latching Trigger	Black	2AMLT2	183.00
	Ø 40mm	Red	2AMLT4	183.00
				
	Latching Trigger	Black	2AMLTKB2	306.50
	with key Ø 40mm	Red	2AMLTKB4	306.50
				
	Latching	Black	2AMLJ2	159.00
	Ø 60mm	Red	2AMLJ4	159.00
				
	Push-Pull	Black	2AMPPJ2	159.00
	Ø 60mm	Red	2AMPPJ4	159.00
				
		Black	2AMJ2	121.50
	Momentary	Green	2AMJ3	121.50
	Ø 60mm	Red	2AMJ4	121.50
		Blue	2AMJ6	121.50
		Yellow	2AMJ8	121.50

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø METALLIC SERIES

SELECTOR ACTUATORS

	TYPE		COLOUR	ORDERING CODE	Price in Rs.
	SELECTOR				
	2 position		Black	2AS2-2P	170.00
	LATCHING				
	With ext. knob			2AS2E-2P	170.00
	2 position		Black	2AS2-2PSR	170.00
	MOMENTARY				
	With ext. knob			2AS2E-2PSR	170.00
	3 position		Black	2AS2-3P	170.00
	STAY PUT				
	With ext. knob			2AS2E-3P	170.00
	3 position		Black	2AS2-3PSR	185.00
	MOMENTARY				
	on both sides				
	With ext. knob			2AS2E-3PSR	185.00
	3 position		Black	2AS2-3PSRR	185.00
	MOMENTARY				
	on right				
	With ext. knob			2AS2E-3PSRR	185.00
	3 position		Black	2AS2-3PSRL	185.00
	MOMENTARY				
	on left				
	With ext. knob			2AS2E-3PSRL	185.00



TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø
METALLIC SERIES

KEY SELECTOR



	TYPE		COLOUR	ORDERING CODE	Price in Rs.
	2 POSITION		Black	2AK2-2PB	236.00
	Stayput				
				2AK2-2PO	236.00
				2AK2-2PI	236.00
	Spring Return		Black	2AK2-2POSR	236.00
	3 POSITION		Black	2AK2-3PA	246.00
	Stayput				
				2AK2-3PB	246.00
				2AK2-3PC	246.00
	Spring Return		Black	2AK2-3PSR	246.00
	Spring Return		Black	2AK2-3PSRR	246.00
	right to centre				
	Spring Return		Black	2AK2-3PSRL	246.00
	left to centre				
* X stands for position in which key is removable					

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø METALLIC SERIES

TWIN ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
				
		Green	2ATF3F4	106.00
	Double Flush	Red		
	w/o IO Mark	Yellow	2ATF8F2	106.00
		Black		
		Green	2ATF3F4(IO)	106.00
	Double Flush	Red		
	with IO Mark	Yellow	2ATF8F2(IO)	106.00
		Black		
		Green	2ATF3P4	106.00
	1 Flush,	Red		
	1 Projecting	Yellow	2ATF8P2	106.00
	w/o IO Mark	Black		
		Green	2ATF3P4(IO)	106.00
	1 Flush,	Red		
	1 Projecting	Yellow	2ATF8P2(IO)	106.00
	with IO Mark	Black		

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø METALLIC SERIES

ILLUMINATED ACTUATOR WITH FILAMENT BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
				w/o bulb	with bulb
	Illuminated Flush, Momentary				
					
		White	2ALF1	118.00	147.00
	Filament Bulb		Green	2ALF3	118.00
	6V to 130V AC/DC		Red	2ALF4	118.00
		Amber	2ALF5	118.00	147.00
		Blue	2ALF6	118.00	147.00
		Clear	2ALF7	118.00	147.00
		Yellow	2ALF8	118.00	147.00
Direct Connection	Please mention the voltage required after the ordering code				
					
		White	2ALRF1	125.00	154.00
	Filament Bulb		Green	2ALRF3	125.00
	24V, 48V,110V and 230 V		Red	2ALRF4	125.00
	AC/DC	Amber	2ALRF5	125.00	154.00
		Blue	2ALRF6	125.00	154.00
		Clear	2ALRF7	125.00	154.00
		Yellow	2ALRF8	125.00	154.00
Connection with Resistor	Please mention the voltage required after the ordering code				
	Illuminated Projecting, Momentary				
					
		White	2ALP1	118.00	147.00
	Filament Bulb		Green	2ALP3	118.00
	6V to 130V AC/DC		Red	2ALP4	118.00
		Amber	2ALP5	118.00	147.00
		Blue	2ALP6	118.00	147.00
		Clear	2ALP7	118.00	147.00
		Yellow	2ALP8	118.00	147.00
Direct Connection	Please mention the voltage required after the ordering code				
					
		White	2ALRP1	125.00	154.00
	Filament Bulb		Green	2ALRP3	125.00
	24V, 48V,110V and 230 V		Red	2ALRP4	125.00
	AC/DC	Amber	2ALRP5	125.00	154.00
		Blue	2ALRP6	125.00	154.00
		Clear	2ALRP7	125.00	154.00
		Yellow	2ALRP8	125.00	154.00
Connection with Resistor	Please mention the voltage required after the ordering code				

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø


METALLIC SERIES

ILLUMINATED FLUSH ACTUATOR WITH LED

	TYPE	COLOUR of LED / LENS	ORDERING CODE	Price in Rs. integral LED	Price in Rs. w/o LED bulb	Price in Rs. with LED bulb
	Illuminated Flush actuator, Momentary					
		Yellow LED / White Lens	2ALRF1L	198.00		
	Integral LED	White LED / White Lens	2ALRF1L(S)	316.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ALRF3L	198.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ALRF4L	198.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ALRF5L	198.00		
		Blue LED / Blue Lens	2ALRF6L	408.50		
		Yellow LED / Clear Lens	2ALRF7L	198.00		
		White LED / Clear Lens	2ALRF7L(S)	316.00		
		Yellow LED / Yellow Lens	2ALRF8L	198.00		
Integral LED	Please mention the voltage required after the ordering code					
		Yellow LED Bulb / White Lens	2ALF1LB		118.00	197.00
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ALF1LB(S)		118.00	361.50
	24V AC/DC,	Green LED Bulb / Green Lens	2ALF3LB		118.00	197.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	2ALF4LB		118.00	197.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	2ALF5LB		118.00	197.00
		Blue LED Bulb / Blue Lens	2ALF6LB		118.00	382.00
		Yellow LED Bulb / Clear Lens	2ALF7LB		118.00	197.00
		White LED Bulb/ Clear Lens	2ALF7LB(S)		118.00	361.50
		Yellow LED Bulb / Yellow Lens	2ALF8LB		118.00	197.00
LED Bulb	Please mention the voltage required after the ordering code					
		White LED / White Lens	2ALRF1LF	198.00		
	Integral LED, Flasher	White LED / White Lens	2ALRF1L(S)F	316.50		
	24V, 110V, 230V, AC	Green LED / Green Lens	2ALRF3LF	198.00		
		Red LED / Red Lens	2ALRF4LF	198.00		
		Amber LED / Amber Lens	2ALRF5LF	198.00		
		Blue LED / Blue Lens	2ALRF6LF	408.50		
		Yellow LED / Clear Lens	2ALRF7LF	198.00		
		White LED / Clear Lens	2ALRF7L(S)F	316.50		
		Yellow LED / Yellow Lens	2ALRF8LF	198.00		
Integral LED	Please mention the voltage required after the ordering code					
	Illuminated Projection Actuator, Momentary					
		Yellow LED / White Lens	2ALRP1L	198.00		
	Integral LED	White LED / White Lens	2ALRP1L(S)	316.50		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ALRP3L	198.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ALRP4L	198.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ALRP5L	198.00		
		Blue LED / Blue Lens	2ALRP6L	408.50		
		Yellow LED / Clear Lens	2ALRP7L	198.00		
		White LED / Clear Lens	2ALRP7L(S)	316.50		
		Yellow LED / Yellow Lens	2ALRP8L	198.00		
Integral LED	Please mention the voltage required after the ordering code					
		Yellow LED Bulb / White Lens	2ALP1LB		118.00	197.00
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ALP1LB(S)		118.00	361.50
	24V AC/DC,	Green LED Bulb / Green Lens	2ALP3LB		118.00	197.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	2ALP4LB		118.00	197.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	2ALP5LB		118.00	197.00
		Blue LED Bulb / Blue Lens	2ALP6LB		118.00	382.00
		Yellow LED Bulb / Clear Lens	2ALP7LB		118.00	197.00
		White LED Bulb/ Clear Lens	2ALP7LB(S)		118.00	361.50
		Yellow LED Bulb / Yellow Lens	2ALP8LB		118.00	197.00
LED Bulb	Please mention the voltage required after the ordering code					
		White LED / White Lens	2ALRP1LF	198.00		
	Integral LED	White LED / White Lens	2ALRP1L(S)P	316.50		
	24V, 110V, 230V, AC	Green LED / Green Lens	2ALRP3LF	198.00		
		Red LED / Red Lens	2ALRP4LF	198.00		
		Amber LED / Amber Lens	2ALRP5LF	198.00		
		Blue LED / Blue Lens	2ALRP6LF	408.50		
		Yellow LED / Clear Lens	2ALRP7LF	198.00		
		White LED / Clear Lens	2ALRP7L(S)P	316.50		
		Yellow LED / Yellow Lens	2ALRP8LF	198.00		
Integral LED	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
METALLIC SERIES

ILLUMINATED SELECTOR WITH FILAMENT BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
				w/o bulb	with bulb
	2 Position Stayput illuminated selector actuator				
		White	2ASL1-2P	234.50	263.50
	Filament bulb	Green	2ASL3-2P	234.50	263.50
	6V to 130V AC/DC	Red	2ASL4-2P	234.50	263.50
		Amber	2ASL5-2P	234.50	263.50
		Blue	2ASL6-2P	234.50	263.50
		Clear	2ASL7-2P	234.50	263.50
		Yellow	2ASL8-2P	234.50	263.50
Direct Connection	Please mention the voltage required after the ordering code				
		White	2ASLR1-2P	243.00	272.00
	Filament bulb	Green	2ASLR3-2P	243.00	272.00
	24 V,48V,110V,230V AC/DC	Red	2ASLR4-2P	243.00	272.00
		Amber	2ASLR5-2P	243.00	272.00
		Blue	2ASLR6-2P	243.00	272.00
		Clear	2ASLR7-2P	243.00	272.00
		Yellow	2ASLR8-2P	243.00	272.00
Connection with Resistor	Please mention the voltage required after the ordering code				
	2 Position Momentary illuminated selector actuator				
		White	2ASL1-2PSR	234.50	263.50
	Filament bulb	Green	2ASL3-2PSR	234.50	263.50
	6V to 130V AC/DC	Red	2ASL4-2PSR	234.50	263.50
		Amber	2ASL5-2PSR	234.50	263.50
		Blue	2ASL6-2PSR	234.50	263.50
		Clear	2ASL7-2PSR	234.50	263.50
		Yellow	2ASL8-2PSR	234.50	263.50
Direct Connection	Please mention the voltage required after the ordering code				
		White	2ASLR1-2PSR	243.00	272.00
	Filament bulb	Green	2ASLR3-2PSR	243.00	272.00
	24 V,48V,110V,230V AC/DC	Red	2ASLR4-2PSR	243.00	272.00
		Amber	2ASLR5-2PSR	243.00	272.00
		Blue	2ASLR6-2PSR	243.00	272.00
		Clear	2ASLR7-2PSR	243.00	272.00
		Yellow	2ASLR8-2PSR	243.00	272.00
Connection with Resistor	Please mention the voltage required after the ordering code				

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
METALLIC SERIES

	TYPE	COLOUR	ORDERING CODE	Price in Rs. with integral LED	Price in Rs. w/o LED bulb	Price in Rs. with LED bulb
	2 Position, Stayput Illuminated Selector Actuator					
		Yellow LED / White Lens	2ASLR1L-2P	314.00		
	Integral LED	White LED / White Lens	2ASLR1L(S)-2P	415.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ASLR3L-2P	314.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ASLR4L-2P	314.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ASLR5L-2P	314.00		
		Blue LED / Blue Lens	2ASLR6L-2P	495.50		
		Yellow LED / Clear Lens	2ASLR7L-2P	314.00		
		White LED / Clear Lens	2ASLR7L(S)-2P	415.00		
		Yellow LED / Yellow Lens	2ASLR8L-2P	314.00		
Integral LED	Please mention the voltage required after the ordering code					
		Yellow LED Bulb / White Lens	2ASL1LB-2P		234.50	313.50
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ASL1LB(S)-2P		234.50	478.00
	24V AC/DC,	Green LED Bulb / Green Lens	2ASL3LB-2P		234.50	313.50
	110VAC, 110VDC	Red LED Bulb / Red Lens	2ASL4LB-2P		234.50	313.50
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	2ASL5LB-2P		234.50	313.50
		Blue LED Bulb / Blue Lens	2ASL6LB-2P		234.50	498.50
		Yellow LED Bulb / Clear Lens	2ASL7LB-2P		234.50	313.50
		White LED Bulb/ Clear Lens	2ASL7LB(S)-2P		234.50	478.00
		Yellow LED Bulb / Yellow Lens	2ASL8LB-2P		234.50	313.50
LED Bulb	Please mention the voltage required after the ordering code					
	2 Position, Momentary Illuminated Selector Actuator					
		Yellow LED / White Lens	2ASLR1L-2PSR	314.00		
	Integral LED	White LED / White Lens	2ASLR1L(S)-2PSR	415.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ASLR3L-2PSR	314.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ASLR4L-2PSR	314.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ASLR5L-2PSR	314.00		
		Blue LED / Blue Lens	2ASLR6L-2PSR	495.00		
		Yellow LED / Clear Lens	2ASLR7L-2PSR	314.00		
		White LED / Clear Lens	2ASLR7L(S)-2PSR	415.00		
		Yellow LED / Yellow Lens	2ASLR8L-2PSR	314.00		
Integral LED	Please mention the voltage required after the ordering code					
		Yellow LED Bulb / White Lens	2ASL1LB-2PSR		234.50	313.50
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ASL1LB(S)-2PSR		234.50	478.00
	24V AC/DC,	Green LED Bulb / Green Lens	2ASL3LB-2PSR		234.50	313.50
	110VAC, 110VDC	Red LED Bulb / Red Lens	2ASL4LB-2PSR		234.50	313.50
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	2ASL5LB-2PSR		234.50	313.50
		Blue LED Bulb / Blue Lens	2ASL6LB-2PSR		234.50	498.50
		Yellow LED Bulb / Clear Lens	2ASL7LB-2PSR		234.50	313.50
		White LED Bulb/ Clear Lens	2ASL7LB(S)-2PSR		234.50	478.00
		Yellow LED Bulb / Yellow Lens	2ASL8LB-2PSR		234.50	313.50
LED Bulb	Please mention the voltage required after the ordering code					



TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

METALLIC SERIES

ILLUMINATED SELECTOR WITH FILAMENT BULB

	TYPE	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.	
				w/o bulb	with bulb	
3 Position illuminated selector actuator						
						
	Stayput	White	2ASL1-3P	247.50	276.50	
	Filament bulb	Green	2ASL3-3P	247.50	276.50	
	6V to 130V AC/DC	Red	2ASL4-3P	247.50	276.50	
		Amber	2ASL5-3P	247.50	276.50	
		Blue	2ASL6-3P	247.50	276.50	
		Clear	2ASL7-3P	247.50	276.50	
		Yellow	2ASL8-3P	247.50	276.50	
	Momentary	White	2ASL1-3PSR	256.50	285.50	
	Filament bulb	Green	2ASL3-3PSR	256.50	285.50	
	6V to 130V AC/DC	Red	2ASL4-3PSR	256.50	285.50	
		Amber	2ASL5-3PSR	256.50	285.50	
		Blue	2ASL6-3PSR	256.50	285.50	
		Clear	2ASL7-3PSR	256.50	285.50	
		Yellow	2ASL8-3PSR	256.50	285.50	
	Stayput / Momentary	White	2ASL1-3PSRL	256.50	285.50	
	Filament bulb	Green	2ASL3-3PSRL	256.50	285.50	
	Direct Connection	6V to 130V AC/DC	Red	2ASL4-3PSRL	256.50	285.50
		Amber	2ASL5-3PSRL	256.50	285.50	
		Blue	2ASL6-3PSRL	256.50	285.50	
		Clear	2ASL7-3PSRL	256.50	285.50	
		Yellow	2ASL8-3PSRL	256.50	285.50	
	Stayput / Momentary	White	2ASL1-3PSRR	256.50	285.50	
	Filament bulb	Green	2ASL3-3PSRR	256.50	285.50	
	6V to 130V AC/DC	Red	2ASL4-3PSRR	256.50	285.50	
		Amber	2ASL5-3PSRR	256.50	285.50	
		Blue	2ASL6-3PSRR	256.50	285.50	
		Clear	2ASL7-3PSRR	256.50	285.50	
		Yellow	2ASL8-3PSRR	256.50	285.50	
	3 Position illuminated selector actuator					
						
Stayput		White	2ASLR1-3P	258.00	287.00	
Filament bulb		Green	2ASLR3-3P	258.00	287.00	
24 V,48V,110V,230V AC/DC		Red	2ASLR4-3P	258.00	287.00	
		Amber	2ASLR5-3P	258.00	287.00	
		Blue	2ASLR6-3P	258.00	287.00	
		Clear	2ASLR7-3P	258.00	287.00	
		Yellow	2ASLR8-3P	258.00	287.00	
Momentary		White	2ASLR1-3PSR	266.50	295.50	
Filament bulb		Green	2ASLR3-3PSR	266.50	295.50	
24 V,48V,110V,230V AC/DC		Red	2ASLR4-3PSR	266.50	295.50	
		Amber	2ASLR5-3PSR	266.50	295.50	
		Blue	2ASLR6-3PSR	266.50	295.50	
		Clear	2ASLR7-3PSR	266.50	295.50	
		Yellow	2ASLR8-3PSR	266.50	295.50	
Stayput / Momentary		White	2ASLR1-3PSRL	266.50	295.50	
Filament bulb		Green	2ASLR3-3PSRL	266.50	295.50	
24 V,48V,110V,230V AC/DC		Red	2ASLR4-3PSRL	266.50	295.50	
Connection with Resistor		Amber	2ASLR5-3PSRL	266.50	295.50	
		Blue	2ASLR6-3PSRL	266.50	295.50	
		Clear	2ASLR7-3PSRL	266.50	295.50	
		Yellow	2ASLR8-3PSRL	266.50	295.50	
Stayput / Momentary		White	2ASLR1-3PSRR	266.50	295.50	
Filament bulb		Green	2ASLR3-3PSRR	266.50	295.50	
24 V,48V,110V,230V AC/DC		Red	2ASLR4-3PSRR	266.50	295.50	
		Amber	2ASLR5-3PSRR	266.50	295.50	
		Blue	2ASLR6-3PSRR	266.50	295.50	
		Clear	2ASLR7-3PSRR	266.50	295.50	
		Yellow	2ASLR8-3PSRR	266.50	295.50	

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

METALLIC SERIES

ILLUMINATED SELECTOR WITH LED

	TYPE	COLOUR	ORDERING CODE	Price in Rs. with integral LED	Price in Rs. w/o LED bulb	Price in Rs. with LED bulb
3 Position Illuminated Selector Actuator with Integral LED						
	Stayput	Yellow LED / White Lens	2ASLR1L-3P	329.50		
	Integral LED	White LED / White Lens	2ASLR1L(S)-3P	428.50		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ASLR3L-3P	329.50		
	110VAC, 110VDC,	Red LED / Red Lens	2ASLR4L-3P	329.50		
	230VAC, 220VDC	Amber LED / Amber Lens	2ASLR5L-3P	329.50		
		Blue LED / Blue Lens	2ASLR6L-3P	506.50		
		Yellow LED / Clear Lens	2ASLR7L-3P	329.50		
		White LED / Clear Lens	2ASLR7L(S)-3P	428.50		
		Yellow LED / Yellow Lens	2ASLR8L-3P	329.50		
	Momentary	Yellow LED / White Lens	2ASLR1L-3PSR	338.00		
	Integral LED	White LED / White Lens	2ASLR1L(S)-3PSR	436.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ASLR3L-3PSR	338.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ASLR4L-3PSR	338.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ASLR5L-3PSR	338.00		
		Blue LED / Blue Lens	2ASLR6L-3PSR	512.00		
		Yellow LED / Clear Lens	2ASLR7L-3PSR	338.00		
		White LED / Clear Lens	2ASLR7L(S)-3PSR	436.00		
		Yellow LED / Yellow Lens	2ASLR8L-3PSR	338.00		
Please mention the voltage required after the ordering code						
Integral LED						
	Stayput / Momentary	Yellow LED / White Lens	2ASLR1L-3PSRL	338.00		
	Integral LED	White LED / White Lens	2ASLR1L(S)-3PSRL	436.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ASLR3L-3PSRL	338.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ASLR4L-3PSRL	338.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ASLR5L-3PSRL	338.00		
		Blue LED / Blue Lens	2ASLR6L-3PSRL	512.00		
		Yellow LED / Clear Lens	2ASLR7L-3PSRL	338.00		
		White LED / Clear Lens	2ASLR7L(S)-3PSRL	436.00		
		Yellow LED / Yellow Lens	2ASLR8L-3PSRL	338.00		
	Stayput / Momentary	Yellow LED / White Lens	2ASLR1L-3PSRR	338.00		
	Integral LED	White LED / White Lens	2ASLR1L(S)-3PSRR	436.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2ASLR3L-3PSRR	338.00		
	110VAC, 110VDC,	Red LED / Red Lens	2ASLR4L-3PSRR	338.00		
	230VAC, 220VDC	Amber LED / Amber Lens	2ASLR5L-3PSRR	338.00		
		Blue LED / Blue Lens	2ASLR6L-3PSRR	512.00		
		Yellow LED / Clear Lens	2ASLR7L-3PSRR	338.00		
		White LED / Clear Lens	2ASLR7L(S)-3PSRR	436.00		
		Yellow LED / Yellow Lens	2ASLR8L-3PSRR	338.00		
3 Position Illuminated Selector Actuator with LED Bulb						
	Stayput	Yellow LED Bulb / White Lens	2ASL1LB-3P		247.50	326.50
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ASL1LB(S)-3P		247.50	491.00
	24V AC/DC,	Green LED Bulb / Green Lens	2ASL3LB-3P		247.50	326.50
	110VAC, 110VDC	Red LED Bulb / Red Lens	2ASL4LB-3P		247.50	326.50
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	2ASL5LB-3P		247.50	326.50
		Blue LED Bulb / Blue Lens	2ASL6LB-3P		247.50	511.50
		Yellow LED Bulb / Clear Lens	2ASL7LB-3P		247.50	326.50
		White LED Bulb/ Clear Lens	2ASL7LB(S)-3P		247.50	491.00
		Yellow LED Bulb / Yellow Lens	2ASL8LB-3P		247.50	326.50
	Please mention the voltage required after the ordering code					
	Momentary	White LED / White Lens	2ASL1L-3PSR		256.50	335.50
	LED Bulb, BA9S type	White LED / White Lens	2ASL1L(S)-3PSR		256.50	500.00
	24V AC/DC,	Green LED / Green Lens	2ASL3L-3PSR		256.50	335.50
	110VAC, 110VDC	Red LED / Red Lens	2ASL4L-3PSR		256.50	335.50
	230VAC, 220VDC	Amber LED / Amber Lens	2ASL5L-3PSR		256.50	335.50
		Blue LED / Blue Lens	2ASL6L-3PSR		256.50	520.50
		Yellow LED / Clear Lens	2ASL7L-3PSR		256.50	335.50
		White LED / Clear Lens	2ASL7L(S)-3PSR		256.50	500.00
		Yellow LED / Yellow Lens	2ASL8L-3PSR		256.50	335.50
LED Bulb						
		Yellow LED Bulb / White Lens	2ASL1LB-3PSRL		256.50	335.50
	Stayput / Momentary	White LED Bulb / White Lens	2ASL1LB(S)-3PSRL		256.50	500.00
	LED Bulb, BA9S type	Green LED Bulb / Green Lens	2ASL3LB-3PSRL		256.50	335.50
	24V AC/DC,	Red LED Bulb / Red Lens	2ASL4LB-3PSRL		256.50	335.50
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	2ASL5LB-3PSRL		256.50	335.50
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	2ASL6LB-3PSRL		256.50	520.50
		Yellow LED Bulb / Clear Lens	2ASL7LB-3PSRL		256.50	335.50
		White LED Bulb/ Clear Lens	2ASL7LB(S)-3PSRL		256.50	500.00
		Yellow LED Bulb / Yellow Lens	2ASL8LB-3PSRL		256.50	335.50
	Please mention the voltage required after the ordering code					
	Stayput / Momentary	White LED / White Lens	2ASL1L-3PSRR		256.50	335.50
	LED Bulb, BA9S type	White LED / White Lens	2ASL1L(S)-3PSRR		256.50	500.00
	24V AC/DC,	Green LED / Green Lens	2ASL3L-3PSRR		256.50	335.50
	110VAC, 110VDC	Red LED / Red Lens	2ASL4L-3PSRR		256.50	335.50
	230VAC, 220VDC	Amber LED / Amber Lens	2ASL5L-3PSRR		256.50	335.50
		Blue LED / Blue Lens	2ASL6L-3PSRR		256.50	520.50
		Yellow LED / Clear Lens	2ASL7L-3PSRR		256.50	335.50
		White LED / Clear Lens	2ASL7L(S)-3PSRR		256.50	500.00
		Yellow LED / Yellow Lens	2ASL8L-3PSRR		256.50	335.50

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø
METALLIC SERIES

PILOT LIGHTS WITH BULB

	TYPE	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
				w/o bulb	with bulb
	Pilot Light				
					
		White	2PLB1	90.50	119.50
	Filament Bulb	Green	2PLB3	90.50	119.50
	6V to 130V AC/DC	Red	2PLB4	90.50	119.50
		Amber	2PLB5	90.50	119.50
		Blue	2PLB6	90.50	119.50
		Clear	2PLB7	90.50	119.50
		Yellow	2PLB8	90.50	119.50
Direct Connection	Please mention the voltage required after the ordering code				
					
		White	2PLBR1	100.00	129.00
	Filament Bulb	Green	2PLBR3	100.00	129.00
	24V,48V,110V,	Red	2PLBR4	100.00	129.00
	230V, AC/DC	Amber	2PLBR5	100.00	129.00
		Blue	2PLBR6	100.00	129.00
		Clear	2PLBR7	100.00	129.00
		Yellow	2PLBR8	100.00	129.00
Connection with Resistor	Please mention the voltage required after the ordering code				
					
		White	2PLBR1240AC	100.00	129.00
	Filament Bulb	Green	2PLBR3240AC	100.00	129.00
	230V AC	Red	2PLBR4240AC	100.00	129.00
		Amber	2PLBR5240AC	100.00	129.00
		Blue	2PLBR6240AC	100.00	129.00
		Clear	2PLBR7240AC	100.00	129.00
		Yellow	2PLBR8240AC	100.00	129.00
Connection with Resistor+Diode					
	Filament Bulb				
	Primary volt. Sec. Volt	White	2PLBT1 XX / YYY		324.00
	110VAC 6	Green	2PLBT3 XX / YYY		324.00
	110VAC 12	Red	2PLBT4 XX / YYY		324.00
	110VAC 24	Amber	2PLBT5 XX / YYY		324.00
	Primary volt. Sec. Volt	Blue	2PLBT6 XX / YYY		324.00
	240VAC 6	Clear	2PLBT7 XX / YYY		324.00
	240VAC 12	Yellow	2PLBT8 XX / YYY		324.00
	240VAC 24				
Connection with Transformer	XX - Primary Voltage YYY - Secondary Voltage				

TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
METALLIC SERIES

PILOT LIGHTS

	Type	Colour of Lens / LED	Ordering Code	Price in Rs. integral LED	Price in Rs. w/o LED bulb	Price in Rs. with LED bulb	
	Pilot Light with Integral LED						
		Yellow LED / White Lens	2PLBR1L	172.50			
	Integral LED	White LED / White Lens	2PLBR1L(S)	294.00			
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2PLBR3L	172.50			
	110VAC, 110VDC,	Red LED / Red Lens	2PLBR4L	172.50			
	230VAC, 220VDC	Amber LED / Amber Lens	2PLBR5L	172.50			
		Blue LED / Blue Lens	2PLBR6L	392.00			
		Yellow LED / Clear Lens	2PLBR7L	172.50			
		White LED / Clear Lens	2PLBR7L(S)	294.00			
		Yellow LED / Yellow Lens	2PLBR8L	172.50			
	Please mention the voltage required after the ordering code						
Integral LED		Yellow LED / White Lens	2PLFBR1LF	172.50			
	Integral LED, Flasher	White LED / White Lens	2PLFBR1LF(S)	294.00			
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	2PLFBR3LF	172.50			
	110VAC, 110VDC,	Red LED / Red Lens	2PLFBR4LF	172.50			
	230VAC, 220VDC	Amber LED / Amber Lens	2PLFBR5LF	172.50			
		Blue LED / Blue Lens	2PLFBR6LF	392.00			
		Yellow LED / Clear Lens	2PLFBR7LF	172.50			
		White LED / Clear Lens	2PLFBR7LF(S)	294.00			
		Yellow LED / Yellow Lens	2PLFBR8LF	172.50			
	Integral LED, Universal	Yellow LED / White Lens	2PLBR1LU	301.50			
	24V upto 240V AC / DC	White LED / White Lens	2PLBR1LU(S)	404.50			
		Green LED / Green Lens	2PLBR3LU	301.50			
		Red LED / Red Lens	2PLBR4LU	301.50			
		Amber LED / Amber Lens	2PLBR5LU	301.50			
		Blue LED / Blue Lens	2PLBR6LU	485.00			
		Yellow LED / Clear Lens	2PLBR7LU	301.50			
		White LED / Clear Lens	2PLBR7LU(S)	404.50			
	Integral LED		Yellow LED / Yellow Lens	2PLBR8LU	301.50		
		Yellow LED / White Lens	2PLBR1L	215.00			
	Integral LED	White LED / White Lens	2PLBR1L(S)	336.00			
	415VAC	Green LED / Green Lens	2PLBR3L	215.00			
		Red LED / Red Lens	2PLBR4L	215.00			
		Amber LED / Amber Lens	2PLBR5L	215.00			
		Blue LED / Blue Lens	2PLBR6L	432.00			
		Yellow LED / Clear Lens	2PLBR7L	215.00			
		White LED / Clear Lens	2PLBR7L(S)	336.00			
	Integral LED		Yellow LED / Yellow Lens	2PLBR8L	215.00		
	Pilot Light with LED Bulb						
		Yellow LED Bulb / White Lens	2PLB1LB		90.50	170.00	
	LED Bulb, BA9S type	White LED Bulb / White Lens	2PLB1LB(S)		90.50	334.00	
	24V AC/DC,	Green LED Bulb / Green Lens	2PLB3LB		90.50	170.00	
	110VAC, 110VDC	Red LED Bulb / Red Lens	2PLB4LB		90.50	170.00	
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	2PLB5LB		90.50	170.00	
		Blue LED Bulb / Blue Lens	2PLB6LB		90.50	354.50	
		Yellow LED Bulb / Clear Lens	2PLB7LB		90.50	170.00	
		White LED Bulb/ Clear Lens	2PLB7LB(S)		90.50	334.00	
		Yellow LED Bulb / Yellow Lens	2PLB8LB		90.50	170.00	
	LED Bulb	Please mention the voltage required after the ordering code					
	LED Bulb	Yellow LED Bulb / White Lens	2PLBT1LB XXX / YY			375.00	
	Primary volt. Sec. Volt	White LED Bulb / White Lens	2PLB1LB(S) XXX / YY			539.00	
	110VAC 6	Green LED Bulb / Green Lens	2PLB3LB XXX / YY			375.00	
	110VAC 12	Red LED Bulb / Red Lens	2PLB4LB XXX / YY			375.00	
	110VAC 24	Amber LED Bulb / Amber Lens	2PLB5LB XXX / YY			375.00	
	Primary volt. Sec. Volt	Blue LED Bulb / Blue Lens	2PLB6LB XXX / YY			559.00	
	240VAC 6	Yellow LED Bulb / Clear Lens	2PLB7LB XXX / YY			375.00	
	240VAC 12	White LED Bulb/ Clear Lens	2PLB7LB(S) XXX / YY			539.00	
	240VAC 24	Yellow LED Bulb / Yellow Lens	2PLB8LB XXX / YY			375.00	
	Connection with Transformer			XX - Primary Voltage			
			YYY - Secondary Voltage				

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø
METALLIC SERIES

TWIN ILLUMINATED

	Type	COLOUR	ORDERED CODE	Price in Rs.	Price in Rs.
				w/o bulb	with bulb
	Twin Illuminated 1 Flush, 1 Projecting (IO) Mark with Filament Bulb				
	Filament bulb	Red button	2ATL5 F3P4 (IO)	173.00	202.00
	6V to 130V AC/DC	Green button			
		Amber lens			
Direct Connection	Please mention the voltage required after the ordering code				
	Filament bulb	Red button	2ATLR5 F3P4 (IO)	180.00	209.00
	24 V,48V,110V,230V AC/DC	Green button			
		Amber lens			
Connection with Resistor	Please mention the voltage required after the ordering code				
	Twin Illuminated Double Flush, (IO) Mark with Filament Bulb				
	Filament bulb	Red button	2ATL5 F3F4 (IO)	173.00	202.00
	6V to 130V AC/DC	Green button			
		Amber lens			
Direct Connection	Please mention the voltage required after the ordering code				
	Filament bulb	Red button	2ATLR5 F3F4 (IO)	180.00	209.00
	24 V,48V,110V,230V AC/DC	Green button			
		Amber lens			
Connection with Resistor	Please mention the voltage required after the ordering code				

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø METALLIC SERIES

TWIN ILLUMINATED WITH LED						
	TYPE	COLOUR	ORDERING CODE	Prive in Rs. with integral LED	Prive in Rs. w/o LED bulb	Prive in Rs. with LED bulb
	Twin Illuminated 1 Flush, 1 Projecting (IO) Mark					
	Integral LED	Green	2ATLR5LF3P4 (IO)	252.00		
	6V, 12V, 24V, 48V AC/DC	Red				
	110VAC, 110VDC,	Amber lens				
	230VAC, 220VDC					
Integral LED	Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type	Green	2ATL5LBF3P4 (IO)		173.00	252.00
	24V AC/DC,	Red				
	110VAC, 110VDC	Amber lens				
	230VAC, 220VDC					
LED Bulb	Please mention the voltage required after the ordering code					
	Twin Illuminated Double Flush (IO) Marked					
	Integral LED	Green	2ATLR5LF3F4 (IO)	252.00		
	6V, 12V, 24V, 48V AC/DC	Red				
	110VAC, 110VDC,	Amber lens				
	230VAC, 220VDC					
Integral LED	Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type	Green	2ATL5LBF3F4 (IO)		173.00	252.00
	24V AC/DC,	Red				
	110VAC, 110VDC	Amber lens				
	230VAC, 220VDC					
LED Bulb	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø METALLIC SERIES

ILLUMINATED MUSHROOM						
	TYPE		COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
					w/o bulb	with bulb
	Illuminated Mushroom, Momentary with Filament Bulb					
						
	Filament bulb		Red	2ALM4	244.50	273.50
	6V to 130V AC/DC					
Direct Connection	Please mention the voltage required after the ordering code					
						
	Filament bulb		Red	2ALRM4	254.00	283.00
	24 V,48V,110V,230V AC/DC					
Connection with Resistor	Please mention the voltage required after the ordering code					
	Illuminated Mushroom, Push Pull with Filament Bulb					
						
	Filament bulb		Red	2ALMPP4	288.50	317.50
	6V to 130V AC/DC					
Direct Connection	Please mention the voltage required after the ordering code					
						
	Filament bulb		Red	2ALRMPP4	298.50	327.50
	24 V,48V,110V,230V AC/DC					
Connection with Resistor	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

METALLIC SERIES

ILLUMINATED MUSHROOM WITH LED

	TYPE	COLOUR	ORDERING CODE	Price in Rs. integral LED	Price in Rs. w/o LED bulb	Prive in Rs. with LED bulb
	Illuminated Mushroom, Momentary					
	Integral LED	Red	2ALRM4L	323.00		
	6V, 12V, 24V, 48V AC/DC					
	110VAC, 110VDC,					
	230VAC, 220VDC					
Integral LED	Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type					
	24V AC/DC,	Red	2ALM4LB		244.50	323.50
	110VAC, 110VDC					
	230VAC, 220VDC					
LED Bulb	Please mention the voltage required after the ordering code					
	Illuminated Mushroom, Push Pull					
	Integral LED	Red	2ALRMPP4L	360.00		
	6V, 12V, 24V, 48V AC/DC					
	110VAC, 110VDC,					
	230VAC, 220VDC					
Integral LED	Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type					
	24V AC/DC,	Red	2ALMPP4LB		288.50	367.50
	110VAC, 110VDC					
	230VAC, 220VDC					
LED Bulb	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
METALLIC SERIES

CONTACT ELEMENTS					
	TYPE			ORDERING CODE	Price in Rs.
	PANEL MOUNTING				
					
	NORMALLY OPEN (NO)			S1	50.00
	SILVER CONTACT				
	NORMALLY OPEN (NO)			S1S	50.00
	SILVER CONTACT				
	(BREAK BEFORE MAKE)				
					
	NORMALLY OPEN (NO)			S1E	50.00
	SILVER CONTACT				
	(MAKE BEFORE BREAK)				
					
	NORMALLY CLOSED (NC)			S2	50.00
	SILVER CONTACT				
					
	NORMALLY OPEN (NO)			S3	140.50
	GOLD CONTACT				
	NORMALLY CLOSED (NC)			S4	140.50
	GOLD CONTACT				
BASE MOUNTING					
	NORMALLY OPEN (NO)			S5	50.00
	SILVER CONTACT				
	NORMALLY CLOSED (NC)			S6	50.00
	SILVER CONTACT				
	NORMALLY OPEN (NO)			S7	140.50
	GOLD CONTACTS				
	NORMALLY CLOSED (NC)			S8	140.50
	GOLD CONTACTS				

Common types of control and signalling devices Ø 22.5

Description	Type of Actuator or Lense Assembly	Colour of Actuator or Lense	Contact Elements NO = S1 NC = S2 or Lamp Holder	Type of complete Control or Signalling Device	
Flush Pushbutton	2AF3	Green	1NO	2PSF310	
	2AF8	Yellow	2NO+1NC	2PSF821	
Projecting Pushbutton	2AP2	Black	2NC	2PSP202	
	2AP4	Red	3NO+3NC	2PSP433	
Mushroom Pushbutton Spring return	2AM2	Black	1NO+1NC	2PSM211	
	2AM4	Red	1NC	2PSM401	
Mushroom Pushbutton latching turn to release	2AML2	Black	1NC	2PSML201	
	2AML4	Red	2NO+2NC	2PSML422	
Mushroom Pushbutton latching, key to release	2AMLKB4	Red	1NO+1NC	2PSMLKB411	
Selector Actuator(2Pos)	2AS2-2P	Black	1NO	2PSS210-2P	
Selector Actuator(3Pos)	2AS2-3P	Red	1NO+1NC	2PSS211-3P	
Key Actuator (2Pos), Key withdrawable in both positions	2AK2-2PB		1NO	2PSK210-2PB	
Key Actuator (3Pos), Key withdrawable in left & right positions	2AK2-3PB		1NO+1NC	2PSK211-3PB	
Selector Illuminated Pushbutton, 2 position with resistance and diode (230V)	2ASLR3-2P230AC	Green	1NO+1NC + 2LHBR230AC	2PSSLR311-2P230AC	
Selector Illuminated Pushbutton, 3 Position with resistance (24V)	2ASLR4-3P24	Red	1NO+1NC + 2LHBR24	2PSSLR411-3P24	
Pilot Light for direct connection upto 130V	2LA3	Green	2LHB24	2PLB324	
	2LA4	Red	2LHB130	2PLB4130	
Pilot Light through resistor and diode for 230 V AC. Bulb:130V.	2LA5	Amber	2LHBR230AC	2PLBR5230AC	
	2LA6	Blue	2LHBR230AC	2PLBR6230AC	
Pilot Light with transformer for 230 V Bulb:24 V.	2LA4	Red	2LHBT230/24	2PLBT4230/24	
	2LA3	Green	2LHBT230/24	2PLBT3230/24	
Flush Illuminated Pushbutton with integral LED for 24 V DC	2ALRF3L24DC	Green	1NO+1NC + 2LHLR24DC	2PSLRF3L1124DC	
Projecting Illuminated Pushbutton with integral LED 230 V AC	2ALRP4L230AC	Red	1NO+1NC + 2LHLR230AC	2PSLRP4L11230AC	
Pilot Light with LED bulb for 110 V Bulb:110 V	2LAL5	Amber	2LHLB110	2PLB5LB110	
Twin Pushbutton marked "I O"	2ATF2-F4-IO	Flush-Black	1 NO	2PSTF210-F401-IO	
Flush - Flush		Flush-Red	1 NC		
Twin Pushbutton not marked	2ATF3-P4	Flush-Green	1NO+1NC	2PSTF311-P411	
Flush - Projecting		Proj-Red	1NO+1NC		
Twin Illuminated Pushbutton marked "I O" Flush - Flush direct connection (130V)	2ATL3-F2-F4 IO130	Lense-Green Flush-Black Flush-Red	2LHB130 1 NO + 1 NC 1 NC	2PSTL3F211-F401-IO130	
Twin Illuminated Pushbutton not marked Flush - Projecting with resistance (24V)	2ATLR5-F3-P424	Lense-Amber Flush-Green Proj.-Red	2LHBR24 1 NO 1 NC	2PSTLR5F310-P40124	

TEKNIC

GENERAL TERMS AND CONDITIONS

General Terms : All prices are on maximum retail price basis, GST extra as applicable.

Prices are subject to revision without notice and ruling at the time of delivery.

This price list supersedes all previous Price Lists.

Warranty Policy : TEKNIC equipment is guaranteed under the following terms:

For a period of 12 months from the date of manufacturing. TEKNIC guarantees that its products are free from defects in material and workmanship, with the exception of consumables rendered unserviceable through normal use. During the said period. TEKNIC will replace or repair all parts acknowledged as defective due to factory workmanship and which have been returned in a timely manner by Buyer to TEKNIC and all costs and duties paid, together with a detailed description of the failure and a certified declaration of the number of hours of operation. Repaired or replaced parts will be redelivered FCA (named place) as per INCOTERMS 2000. This warranty is subject to the provision of correct usage, proper maintenance and does not cover defects arising out of fire, faulty operation, accident, inefficient maintenance and willful or accidental damage.

TEKNIC guarantee applies to all equipment, parts and components stored, installed, protected, maintained and used in accordance with TEKNIC specifications and instructions, and respecting the rules for normal use, without any modification by Buyer.

All other conditions or warranties, whether express or implied, relating to the quality and operation of the equipment are excluded, as well as any liability for loss or damage caused directly or indirectly by the equipment or resulting from its use.

Proof of purchase to be provided to avail warranty.

TEKNIC ELECTRIC (I) PVT. LTD.

Reg.Office : 116, Hammersmith Industrial Estate, Mahim (W), Mumbai – 400016. Tel.:43626500,24451648 Fax : 24468185

Head Office : 703/704/705, Madhava, Bandra Kurla Complex, Bandra (E), Mumbai – 400051. Tel : +91-22-42532500 Fax :26592391

Works : 65, Marol Co-op. Industrial Estate Ltd., M. Vassanji Road, Andheri (East), Mumbai – 400059. Tel : +91-22-42534500 Fax:28504273

Email : teknich@teknich.co.in : mfg@teknich.co.in Website : www.teknich.co.in

TEKNIC



Control and Signaling Devices Ø 22.5 Plastic Series



Control and signalling devices Ø 22.5 P series

Salient features

This range of Ø 22.5 P series pushbuttons, selector switches, illuminated switches, and pilot lights in engineering plastic construction have been designed to provide the following salient features:


- Economy of space • Aesthetically elegant • SELF WIPING CONTACTS • Robust in materials of construction
- Larger operating surface than Ø 30.5 series • Simple to fix - screw driver is all that is required
- Safe in operation
 - Fixing method unaffected by excessive vibration-unit does not rotate
 - Protection against electrical shock
 - Resistant to corrosion
- Very good flame resistance
- Shrouded terminals

Actuators

The circular actuators have black plastic bezels, and are functionally interchangeable on the different types of contact elements.

Contact elements

The contact elements are double break and have **self wiping** contacts. The elements are interchangeable and can be stacked without additional hardware. 1 to 6 elements (NO or NC) can be used with non illuminated actuators, whereas, 1 to 4 elements (NO or NC) can be used for illuminated actuators. **Gold plated NO and NC contact elements for low voltage, low current switching circuits, < 25 mA, are available.**



Illuminated pushbuttons and pilot lights

Pilot lights and illuminated switches are suitable for direct connection, through series resistor, through series resistor and diode, using bayonet cap filament bulb type BA9S, as follows :

Supply voltage for direct connection without series resistor : 6V-130V

Supply voltage through series resistor..... : 12V-415V

Supply voltage through series resistor and diode : 230V AC

Bulb : Filament, type BA9s with OAL max., 28 mm

Pilot lights and illuminated actuators are available with integral LED chips, suitable for operating at various voltages namely 6V, 12V, 24V, 30V, 48V, 63.5V, 110V, 125V, 230V AC or DC and 415 volts AC. Pilot lights and illuminated actuators are available with LED bulbs (bayonet cap, BA9S design with OAL max. 28 mm) suitable for operating at various voltages namely 24V, 110V and 230V. On request an extra short circuit protection consisting of built in fuse in the LED modules can be provided.

Pilot lights are available with built in transformers suitable for operating at 230, 110 volts AC input and 6 V, 12 V and 24V output.



Terminals

Contact elements and pilot lights are designed to have shrouded terminals with combi screws.

Fixing

The P series control devices Ø 22.5 can be fixed in any position on panels of 1 to 5 mm thickness. We recommend minimum fixing centres of 30mm X 40mm.

However, the dimensions and configuration should be decided on the basis of the application. The actuators and the lense assemblies lock on the holding bracket. Details of the assembly shown in diagram.



Electrical and mechanical characteristics

Environment

Standards conformity	: CSA - C22.2 No. 14-95, UL508, EN 60947-5-1 2000
Approvals	: CSA - C22.2 No. 14-95, UL508, VDE 0660
Degree of protection	: IP 65 as per IEC 529, NEMA 4X, 12 as per UL 50
Ambient	: - 25° C to + 70° C
Operating position	: All positions

Contact Block

Rated insulation voltage	:	500 V																
Rated thermal current	:	10 A																
Contact operation	:	Self wiping , slow break NO or NC																
Make and break capacity																		
As per IEC 947 - 5 - (1) 1990	:	AC 15 4 A, 415 V AC DC 13 0.5 A, 110 V DC																
Terminal capacity	:	Minimum 1 x 0.5 mm ² , maximum 2 x 1.5 mm ² or 1 x 2.5 mm ²																
Terminal marking	:	1-2 for NC, 3-4 for NO																
Short circuit protection	:	10 A cartridge fuse HRC type, rated for resistive loading																
Mechanical life	:	Over 1 million operations																
Electrical rating	:																	
(for 1 million operating cycles, operating at 3600 cycles per hour, load factor 0.5)		<table><tr><td>AC 15</td><td>V</td><td>24</td><td>120</td><td>230</td><td>DC 13</td><td>V</td><td>24</td></tr><tr><td></td><td>A</td><td>4</td><td>3</td><td>2</td><td></td><td>A</td><td>0.5</td></tr></table>	AC 15	V	24	120	230	DC 13	V	24		A	4	3	2		A	0.5
AC 15	V	24	120	230	DC 13	V	24											
	A	4	3	2		A	0.5											

Modules for pilot light & illuminated switches with integral LED / multichip LED bulb (BA9S cap)

Current consumptions (applicable to all colours)

24 VAC/DC, 110 VAC & 240 VAC

: max. 20 mA

110 VDC

: max. 15 mA

220 VDC

: max. 10 mA

Service life (at nominal voltage and at ambient temperature of 25° C)

: 100,000 hours

Voltage limits (nominal voltage)

: < 20% of rated voltage >

Short circuit protection

: on specific request

Terminal capacity

: min. 1 x 0.5 mm², max. 2 x 1.5 mm² or 1 x 2.5 mm²

Control and signalling devices Ø 22.5 P series

Ordering instructions

1. Actuators, illuminated actuators, contact elements, lense assemblies & pilot lights can all be ordered separately or in combination.
2. Prefix P2 for all actuators and combinations indicates Ø 22.5 P series.
3. The type numbers of contact elements are : NO: Actuator mounting : S1, S3 Note:
Individual mounting : S5, S7 S3, S4, S7, S8 are gold plated contacts
NC: Actuator mounting : S2, S4 suitable for low voltage, low current
Individual mounting : S6, S8 switching circuits < 25 mA

Some examples of type numbers:

Actuator : Type P2AF3 is flush actuator, GREEN
Pilot light : Type P2PLB4 is pilot light without series resistor, RED
Complete pushbutton : Type P2PSF411 is flush pushbutton, RED, with 1NO+1NC contact elements
1NC element S2
1NO element S1
Colour actuator, RED
Ø 22.5 flush type pushbutton

Accessories and spares

Legend plates

Legend plates 30 x 40 mm are supplied with the following standard texts:

START FORWARD UP OPEN AUTO SLOW RESET ON RIGHT TRIP
STOP REVERSE DOWN CLOSE HAND FAST INCH OFF LEFT POWER ON
Legend plate Ø 60 mm yellow with black characters for **EMERGENCY STOP**



Filament bulb

Filament bulb type BA9S, OAL 28mm

Voltage	: 6	12	24	30	48	60	130
Watts	: 1	2	2	2	2	2	2.6



LED bulb

LED multichip bulb type BA9S, OAL 28mm

Colour	: White	Green	Red	Amber	Blue	Yellow	V	W
Type No.	: MCB9124	MCB9324	MCB9424	MCB9524	MCB9624	MCB9824	24	0.5
	MCB91110	MCB93110	MCB94110	MCB95110	MCB96110	MCB98110	110	1.0
	MCB91230	MCB93230	MCB94230	MCB95230	MCB96230	MCB98230	230	1.0




Lenses

Colour of lense : Translucent White Green Red Amber Blue Clear Yellow

For pilot lights with filament bulb	2PLL1	2PLL3	2PLL4	2PLL5	2PLL6	2PLL7	2PLL8	
For illuminated actuators with filament bulb (flush/projecting)	2LAL1	2LAL3	2LAL4	2LAL5	2LAL6	2LAL7	2LAL8	
For pilot lights with LED	2PLL1L	2PLL3L	2PLL4L	2PLL5L	2PLL6L	2PLL7L	2PLL8L	
For illuminated actuators with LED (flush/projecting)	2LAL1L	2LAL3L	2LAL4L	2LAL5L	2LAL6L	2LAL7L	2LAL8L	

Adaptor for fixing Ø 22.5 devices in Ø 30.5 cutout.

Type No. : 2ADP



Fixing flange

Type No. : P2BRK



Padlock

For mushroom actuator : type no. 2PAM

For projecting actuator : type no. 2PAP



Boot for non ill. flush actuator

Colour of Boot : Clear

Type No : 2BT7



Boot for flush / projecting illuminated actuator

Colour of Boot : Clear

Type No : 2ALBT7



Boot for twin actuator

Colour of Boot : Clear

Type No : 2ATBT7



Boot for twin illuminated actuator

Colour of Boot : Clear

Type No : 2ATLBT7



Bulb extractor

Type No. : 2BA9SE



Blanking plug for Ø 22.5 hole, black

Type No. : 2BP2



TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

MOMENTARY ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		White	P2AF1	48.00
		Black	P2AF2	48.00
		Green	P2AF3	48.00
	Flush	Red	P2AF4	48.00
		Blue	P2AF6	48.00
		Yellow	P2AF8	48.00
		White	P2AF1A	65.00
		Black	P2AF2A	65.00
	Flush with Arrow marking	Green	P2AF3A	65.00
		Red	P2AF4A	65.00
		Blue	P2AF6A	65.00
		Yellow	P2AF8A	65.00
		White	P2AP1	48.00
		Black	P2AP2	48.00
	Projecting	Green	P2AP3	48.00
		Red	P2AP4	48.00
		Blue	P2AP6	48.00
		Yellow	P2AP8	48.00
	Flush Relay	White	P2AF1RR	63.00
	Reset Actuators	Black	P2AF2RR	63.00
		Green	P2AF3RR	63.00
		Red	P2AF4RR	63.00
		Blue	P2AF6RR	63.00
		Yellow	P2AF8RR	63.00
		White	P2AF1BT7	83.00
		Black	P2AF2BT7	83.00
		Green	P2AF3BT7	83.00
	Booted	Red	P2AF4BT7	83.00
		Blue	P2AF6BT7	83.00
		Yellow	P2AF8BT7	83.00

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

MUSHROOM HEAD ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
				
		Black	P2AM2	77.00
	Momentary Ø 40mm	Green	P2AM3	77.00
		Red	P2AM4	77.00
		Blue	P2AM6	77.00
		Yellow	P2AM8	77.00
				
	Push Pull Ø 40 mm	Black	P2AMPP2	106.50
		Red	P2AMPP4	106.50
				
	Latching Ø 30mm	Black	P2AMLS2	106.50
		Red	P2AMLS4	106.50
				
	Latching Ø 40mm	Black	P2AML2	106.50
		Red	P2AML4	106.50
				
	Latching with Key Ø 40mm	Black	P2AMLKB2	213.50
		Red	P2AMLKB4	213.50

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

MUSHROOM HEAD ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		Black	P2AMJ2	105.00
	Momentary Ø 60mm	Green	P2AMJ3	105.00
		Red	P2AMJ4	105.00
		Blue	P2AMJ6	105.00
		Yellow	P2AMJ8	105.00
				
	Push Pull Ø 60 mm	Black	P2AMPPJ2	138.50
		Red	P2AMPPJ4	138.50
				
	Latching Ø 60mm	Black	P2AMLJ2	138.50
		Red	P2AMLJ4	138.50
				
	Trigger type	Black	P2AMLT2	159.50
	Press to Lock	Red	P2AMLT4	159.50
	turn to release Ø 40 mm			
				
	Trigger type	Black	P2AMLTkB2	266.00
	Press to Lock	Red	P2AMLTkB4	266.00
	key to release Ø 40 mm			
				
	Trigger type	Red	P2AMPPT4	186.00
	Press to Lock			
	pull to release Ø 40 mm			

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

SELECTOR ACTUATORS

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
	Selector	Black	P2AS2-2P	149.00
	2 position			
	LATCHING			
				
	with ext. knob		P2AS2E-2P	149.00
	2 position	Black	P2AS2-2PSR	149.00
	MOMENTARY			
				
	with ext. knob		P2AS2E-2PSR	149.00
	3 position	Black	P2AS2-3P	149.00
	STAY PUT			
				
	with ext. knob		P2AS2E-3P	149.00
	MOMENTARY	Black	P2AS2-3PSR	161.00
	on both sides			
				
	with ext. knob		P2AS2E-3PSR	161.00
	3 position	Black	P2AS2-3PSRR	161.00
	MOMENTARY			
	on right			
				
	with ext. knob		P2AS2E-3PSRR	161.00
	3position	Black	P2AS2-3PSRL	161.00
	MOMENTARY			
	on left			
				
	with ext. knob		P2AS2E-3PSRL	161.00

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

KEY SELECTOR ACTUATORS



TYPE	COLOUR	ORDERING CODE	Price in Rs.
2 Position Stayput	Black	P2AK2-2PB	204.50
		P2AK2-2PO	204.50
		P2AK2-2PI	204.50
Spring Return	Black	P2AK2-2POSR	204.50
3 Position Stayput	Black	P2AK2-3PA	213.50
	Black	P2AK2-3PB	213.50
	Black	P2AK2-3PC	213.50
Spring Return	Black	P2AK2-3PSR	213.50
Spring Return right to centre	Black	P2AK2-3PSRR	213.50
Spring Return left to centre	Black	P2AK2-3PSRL	213.50
* X stands for position in which key is removable			

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

TWIN ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		Green	P2ATF3F4	91.50
		Red		
	Double Flush w/o IO Mark	Yellow	P2ATF8F2	91.50
		Black		
				
		Green	P2ATF3F4(IO)	91.50
		Red		
	Double Flush with IO Mark	Yellow	P2ATF8F2(IO)	91.50
		Black		
				
		Green	P2ATF3P4	91.50
	1 Flush, 1 Projecting w/o IO Mark	Red		
		Yellow	P2ATF8P2	91.50
		Black		
				
	1 Flush, 1 Projecting with IO Mark	Green	P2ATF3P4(IO)	91.50
		Red		
		Yellow	P2ATF8P2(IO)	91.50
		Black		

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

ILLUMINATED MOMENTARY ACTUATORS WITH FILAMENT BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs. w/o bulb	Price in Rs. with bulb
	Illuminated Flush				
					
		White	P2ALF1	102.00	131.00
	Filament Bulb	Green	P2ALF3	102.00	131.00
	6V to 130V AC/DC	Red	P2ALF4	102.00	131.00
		Amber	P2ALF5	102.00	131.00
		Blue	P2ALF6	102.00	131.00
		Clear	P2ALF7	102.00	131.00
		Yellow	P2ALF8	102.00	131.00
Direct Connection	Please mention the voltage required after the ordering code				
					
		White	P2ALRF1	108.50	137.50
		Green	P2ALRF3	108.50	137.50
	Filament Bulb	Red	P2ALRF4	108.50	137.50
	24V,48V,130V,230V AC/DC	Amber	P2ALRF5	108.50	137.50
		Blue	P2ALRF6	108.50	137.50
		Clear	P2ALRF7	108.50	137.50
		Yellow	P2ALRF8	108.50	137.50
Connection with Resistor	Please mention the voltage required after the ordering code				
	Illuminated Projecting				
					
		White	P2ALP1	102.00	131.00
	Filament Bulb	Green	P2ALP3	102.00	131.00
	6V to 130V AC/DC	Red	P2ALP4	102.00	131.00
		Amber	P2ALP5	102.00	131.00
		Blue	P2ALP6	102.00	131.00
		Clear	P2ALP7	102.00	131.00
		Yellow	P2ALP8	102.00	131.00
Direct Connection	Please mention the voltage required after the ordering code				
					
		White	P2ALRP1	108.50	137.50
		Green	P2ALRP3	108.50	137.50
	Filament Bulb	Red	P2ALRP4	108.50	137.50
	24V,48V,130V,230V AC/DC	Amber	P2ALRP5	108.50	137.50
		Blue	P2ALRP6	108.50	137.50
		Clear	P2ALRP7	108.50	137.50
		Yellow	P2ALRP8	108.50	137.50
Connection with Resistor	Please mention the voltage required after the ordering code				

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

ILLUMINATED ACTUATORS WITH INTEGRAL LED / LED BULB



	Type	Colour of LED / Lens	Ordering Code	Price in Rs. with Int. LED	Price in Rs. w/o LED Bulb	Price in Rs. with LED Bulb
	Illuminated Flush, Momentary					
		Yellow LED / White Lens	P2ALRF1L	172.50		
	Integral LED	White LED / White Lens	P2ALRF1L(S)	285.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ALRF3L	172.50		
	110VAC, 110VDC,	Red LED / Red Lens	P2ALRF4L	172.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ALRF5L	172.50		
		Blue LED / Blue Lens	P2ALRF6L	368.50		
		Yellow LED / Clear Lens	P2ALRF7L	172.50		
		White LED / Clear Lens	P2ALRF7L(S)	285.00		
		Yellow LED / Yellow Lens	P2ALRF8L	172.50		
Integral	Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type	Yellow LED Bulb / White Lens	P2ALF1LB		102.00	181.00
	24V AC/DC,	White LED Bulb / White Lens	P2ALF1LB(S)		102.00	345.50
	110VAC, 110VDC	Green LED Bulb / Green Lens	P2ALF3LB		102.00	181.00
	230VAC, 220VDC	Red LED Bulb / Red Lens	P2ALF4LB		102.00	181.00
		Amber LED Bulb / Amber Lens	P2ALF5LB		102.00	181.00
		Blue LED Bulb / Blue Lens	P2ALF6LB		102.00	366.00
		Yellow LED Bulb / Clear Lens	P2ALF7LB		102.00	181.00
		White LED Bulb/ Clear Lens	P2ALF7LB(S)		102.00	345.50
		Yellow LED Bulb / Yellow Lens	P2ALF8LB		102.00	181.00
Bayonet Bulb	Please mention the voltage required after the ordering code					
		Yellow LED / White Lens	P2ALRF1LF	172.50		
	Integral LED	White LED / White Lens	P2ALRF1LF(S)	285.00		
	24V, 110V, 230V, AC	Green LED / Green Lens	P2ALRF3LF	172.50		
		Red LED / Red Lens	P2ALRF4LF	172.50		
		Amber LED / Amber Lens	P2ALRF5LF	172.50		
		Blue LED / Blue Lens	P2ALRF6LF	368.50		
		Yellow LED / Clear Lens	P2ALRF7LF	172.50		
		White LED / Clear Lens	P2ALRF7LF(S)	285.00		
		Yellow LED / Yellow Lens	P2ALRF8LF	172.50		
Flasher	Please mention the voltage required after the ordering code					
	Illuminated Projecting, Momentary					
		Yellow LED / White Lens	P2ALRP1L	172.50		
	Integral LED	White LED / White Lens	P2ALRP1L(S)	285.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ALRP3L	172.50		
	110VAC, 110VDC,	Red LED / Red Lens	P2ALRP4L	172.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ALRP5L	172.50		
		Blue LED / Blue Lens	P2ALRP6L	368.50		
		Yellow LED / Clear Lens	P2ALRP7L	172.50		
		White LED / Clear Lens	P2ALRP7L(S)	285.00		
		Yellow LED / Yellow Lens	P2ALRP8L	172.50		
Integral	Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type	Yellow LED Bulb / White Lens	P2ALP1LB		102.00	181.00
	24V AC/DC,	White LED Bulb / White Lens	P2ALP1LB(S)		102.00	345.50
	110VAC, 110VDC	Green LED Bulb / Green Lens	P2ALP3LB		102.00	181.00
	230VAC, 220VDC	Red LED Bulb / Red Lens	P2ALP4LB		102.00	181.00
		Amber LED Bulb / Amber Lens	P2ALP5LB		102.00	181.00
		Blue LED Bulb / Blue Lens	P2ALP6LB		102.00	366.00
		Yellow LED Bulb / Clear Lens	P2ALP7LB		102.00	181.00
		White LED Bulb/ Clear Lens	P2ALP7LB(S)		102.00	345.50
		Yellow LED Bulb / Yellow Lens	P2ALP8LB		102.00	181.00
Bayonet Bulb	Please mention the voltage required after the ordering code					
		Yellow LED / White Lens	P2ALRP1LF	172.50		
	Integral LED	White LED / White Lens	P2ALRP1LF(S)	285.00		
	24V, 110V, 230V, AC	Green LED / Green Lens	P2ALRP3LF	172.50		
		Red LED / Red Lens	P2ALRP4LF	172.50		
		Amber LED / Amber Lens	P2ALRP5LF	172.50		
		Blue LED / Blue Lens	P2ALRP6LF	368.50		
		Yellow LED / Clear Lens	P2ALRP7LF	172.50		
		White LED / Clear Lens	P2ALRP7LF(S)	285.00		
		Yellow LED / Yellow Lens	P2ALRP8LF	172.50		
Flasher	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø


PLASTIC SERIES

ILLUMINATED SELECTOR ACTUATOR WITH FILAMENT BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
				w/o bulb	with bulb
	2 Position Stayput illuminated selector actuator				
		White	P2ASL1-2P	203.00	232.00
	Filament Bulb	Green	P2ASL3-2P	203.00	232.00
	6V to 130V AC/DC	Red	P2ASL4-2P	203.00	232.00
		Amber	P2ASL5-2P	203.00	232.00
		Blue	P2ASL6-2P	203.00	232.00
		Clear	P2ASL7-2P	203.00	232.00
		Yellow	P2ASL8-2P	203.00	232.00
	Direct Connection	Please mention the voltage required after the ordering code			
		White	P2ASLR1-2P	211.00	240.00
	Filament Bulb	Green	P2ASLR3-2P	211.00	240.00
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-2P	211.00	240.00
		Amber	P2ASLR5-2P	211.00	240.00
		Blue	P2ASLR6-2P	211.00	240.00
		Clear	P2ASLR7-2P	211.00	240.00
		Yellow	P2ASLR8-2P	211.00	240.00
	Connection with Resistor	Please mention the voltage required after the ordering code			
	2 Position, Momentary illuminated selector actuator				
		White	P2ASL1-2PSR	203.00	232.00
	Filament Bulb	Green	P2ASL3-2PSR	203.00	232.00
	6V to 130V AC/DC	Red	P2ASL4-2PSR	203.00	232.00
		Amber	P2ASL5-2PSR	203.00	232.00
		Blue	P2ASL6-2PSR	203.00	232.00
		Clear	P2ASL7-2PSR	203.00	232.00
		Yellow	P2ASL8-2PSR	203.00	232.00
	Direct Connection	Please mention the voltage required after the ordering code			
		White	P2ASLR1-2PSR	211.00	240.00
	Filament Bulb	Green	P2ASLR3-2PSR	211.00	240.00
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-2PSR	211.00	240.00
		Amber	P2ASLR5-2PSR	211.00	240.00
		Blue	P2ASLR6-2PSR	211.00	240.00
		Clear	P2ASLR7-2PSR	211.00	240.00
		Yellow	P2ASLR8-2PSR	211.00	240.00
	Connection with Resistor	Please mention the voltage required after the ordering code			

TEKNIC




MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED SELECTOR ACTUATOR WITH LED							
	TYPE	Colour of LED / Lens	ORDERING CODE		Price in Rs.	Price in Rs.	Price in Rs.
					with integral LED	w/o LED bulb	with LED bulb
2 Position Stayput illuminated selector actuator							
		Yellow LED / White Lens	P2ASLR1L-2P		272.50		
	Integral LED	White LED / White Lens	P2ASLR1L(S)-2P		374.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-2P		272.50		
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-2P		272.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-2P		272.50		
		Blue LED / Blue Lens	P2ASLR6L-2P		446.00		
		Yellow LED / Clear Lens	P2ASLR7L-2P		272.50		
		White LED / Clear Lens	P2ASLR7L(S)-2P		374.00		
		Yellow LED / Yellow Lens	P2ASLR8L-2P		272.50		
Integral LED	Please mention the voltage required after the ordering code						
		Yellow LED Bulb / White Lens	P2ASL1LB-2P			203.00	282.00
	LED Bulb BA9S type	White LED Bulb / White Lens	P2ASL1LB(S)-2P			203.00	446.50
	24V AC/DC,	Green LED Bulb / Green Lens	P2ASL3LB-2P			203.00	282.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2ASL4LB-2P			203.00	282.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-2P			203.00	282.00
		Blue LED Bulb / Blue Lens	P2ASL6LB-2P			203.00	467.00
		Yellow LED Bulb / Clear Lens	P2ASL7LB-2P			203.00	282.00
		White LED Bulb/ Clear Lens	P2ASL7LB(S)-2P			203.00	446.50
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-2P			203.00	282.00
LED Bulb	Please mention the voltage required after the ordering code						
2 Position Momentary illuminated selector actuator							
		Yellow LED / White Lens	P2ASLR1L-2PSR		272.50		
	Integral LED	White LED / White Lens	P2ASLR1L(S)-2PSR		374.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-2PSR		272.50		
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-2PSR		272.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-2PSR		272.50		
		Blue LED / Blue Lens	P2ASLR6L-2PSR		446.00		
		Yellow LED / Clear Lens	P2ASLR7L-2PSR		272.50		
		White LED / Clear Lens	P2ASLR7L(S)-2PSR		374.00		
		Yellow LED / Yellow Lens	P2ASLR8L-2PSR		272.50		
Integral LED	Please mention the voltage required after the ordering code						
		Yellow LED Bulb / White Lens	P2ASL1LB-2PSR			203.00	282.00
	LED Bulb BA9S type	White LED Bulb / White Lens	P2ASL1LB(S)-2PSR			203.00	446.50
	24V AC/DC,	Green LED Bulb / Green Lens	P2ASL3LB-2PSR			203.00	282.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2ASL4LB-2PSR			203.00	282.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-2PSR			203.00	282.00
		Blue LED Bulb / Blue Lens	P2ASL6LB-2PSR			203.00	467.00
		Yellow LED Bulb / Clear Lens	P2ASL7LB-2PSR			203.00	282.00
		White LED Bulb/ Clear Lens	P2ASL7LB(S)-2PSR			203.00	446.50
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-2PSR			203.00	282.00
LED Bulb	Please mention the voltage required after the ordering code						

TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED SELECTOR ACTUATOR WITH BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs. w/o bulb	Price in Rs. with bulb
	3 Position illuminated selector actuator				
	Stayput	White	P2ASL1-3P	214.50	243.50
	Filament Bulb	Green	P2ASL3-3P	214.50	243.50
	6V to 130V AC/DC	Red	P2ASL4-3P	214.50	243.50
		Amber	P2ASL5-3P	214.50	243.50
		Blue	P2ASL6-3P	214.50	243.50
		Clear	P2ASL7-3P	214.50	243.50
		Yellow	P2ASL8-3P	214.50	243.50
	Please mention the voltage required after the ordering code				
	Momentary	White	P2ASL1-3PSR	222.50	251.50
	Filament Bulb	Green	P2ASL3-3PSR	222.50	251.50
	6V to 130V AC/DC	Red	P2ASL4-3PSR	222.50	251.50
		Amber	P2ASL5-3PSR	222.50	251.50
		Blue	P2ASL6-3PSR	222.50	251.50
		Clear	P2ASL7-3PSR	222.50	251.50
		Yellow	P2ASL8-3PSR	222.50	251.50
	Please mention the voltage required after the ordering code				
	Momentary/Stayput	White	P2ASL1-3PSRL	222.50	251.50
	Filament Bulb	Green	P2ASL3-3PSRL	222.50	251.50
Direct Connection	6V to 130V AC/DC	Red	P2ASL4-3PSRL	222.50	251.50
		Amber	P2ASL5-3PSRL	222.50	251.50
		Blue	P2ASL6-3PSRL	222.50	251.50
		Clear	P2ASL7-3PSRL	222.50	251.50
		Yellow	P2ASL8-3PSRL	222.50	251.50
	Please mention the voltage required after the ordering code				
	Momentary/Stayput	White	P2ASL1-3PSRR	222.50	251.50
	Filament Bulb	Green	P2ASL3-3PSRR	222.50	251.50
	6V to 130V AC/DC	Red	P2ASL4-3PSRR	222.50	251.50
		Amber	P2ASL5-3PSRR	222.50	251.50
		Blue	P2ASL6-3PSRR	222.50	251.50
		Clear	P2ASL7-3PSRR	222.50	251.50
		Yellow	P2ASL8-3PSRR	222.50	251.50
	Please mention the voltage required after the ordering code				
3 Position illuminated selector actuator					
	Stayput	White	P2ASLR1-3P	224.00	253.00
	Filament Bulb	Green	P2ASLR3-3P	224.00	253.00
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3P	224.00	253.00
		Amber	P2ASLR5-3P	224.00	253.00
		Blue	P2ASLR6-3P	224.00	253.00
		Clear	P2ASLR7-3P	224.00	253.00
		Yellow	P2ASLR8-3P	224.00	253.00
	Please mention the voltage required after the ordering code				
	Momentary	White	P2ASLR1-3PSR	232.50	261.50
	Filament Bulb	Green	P2ASLR3-3PSR	232.50	261.50
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3PSR	232.50	261.50
		Amber	P2ASLR5-3PSR	232.50	261.50
		Blue	P2ASLR6-3PSR	232.50	261.50
		Clear	P2ASLR7-3PSR	232.50	261.50
		Yellow	P2ASLR8-3PSR	232.50	261.50
	Please mention the voltage required after the ordering code				
	Momentary/Stayput	White	P2ASLR1-3PSRL	232.50	261.50
	Filament Bulb	Green	P2ASLR3-3PSRL	232.50	261.50
Connection with Resistor	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3PSRL	232.50	261.50
		Amber	P2ASLR5-3PSRL	232.50	261.50
		Blue	P2ASLR6-3PSRL	232.50	261.50
		Clear	P2ASLR7-3PSRL	232.50	261.50
		Yellow	P2ASLR8-3PSRL	232.50	261.50
	Please mention the voltage required after the ordering code				
	Momentary/Stayput	White	P2ASLR1-3PSRR	232.50	261.50
	Filament Bulb	Green	P2ASLR3-3PSRR	232.50	261.50
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3PSRR	232.50	261.50
		Amber	P2ASLR5-3PSRR	232.50	261.50
		Blue	P2ASLR6-3PSRR	232.50	261.50
		Clear	P2ASLR7-3PSRR	232.50	261.50
		Yellow	P2ASLR8-3PSRR	232.50	261.50
	Please mention the voltage required after the ordering code				

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

ILLUMINATED SELECTOR ACTUATOR WITH LED						
	TYPE	Colour of LED / Lens	ORDERING CODE	Price in Rs. with integral LED	Price in Rs. w/o LED bulb	Price in Rs. with LED bulb
3 Position Illuminated Selector Actuator						
	Stayput	Yellow LED / White Lens	P2ASLR1L-3P	285.50		
	Integral LED	White LED / White Lens	P2ASLR1L(S)-3P	386.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-3P	285.50		
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-3P	285.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-3P	285.50		
		Blue LED / Blue Lens	P2ASLR6L-3P	456.00		
		Yellow LED / Clear Lens	P2ASLR7L-3P	285.50		
		White LED / Clear Lens	P2ASLR7L(S)-3P	386.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3P	285.50		
	Please mention the voltage required after the ordering code					
	Momentary	Yellow LED / White Lens	P2ASLR1L-3PSR	294.00		
	Integral LED	White LED / White Lens	P2ASLR1L(S)-3PSR	393.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-3PSR	294.00		
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-3PSR	294.00		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-3PSR	294.00		
		Blue LED / Blue Lens	P2ASLR6L-3PSR	461.00		
		Yellow LED / Clear Lens	P2ASLR7L-3PSR	393.00		
		White LED / Clear Lens	P2ASLR7L(S)-3PSR	393.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3PSR	294.00		
	Please mention the voltage required after the ordering code					
	Momentary/Stayput	Yellow LED / White Lens	P2ASLR1L-3PSRL	294.00		
	Integral LED	White LED / White Lens	P2ASLR1L(S)-3PSRL	393.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-3PSRL	294.00		
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-3PSRL	294.00		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-3PSRL	294.00		
		Blue LED / Blue Lens	P2ASLR6L-3PSRL	461.00		
		Yellow LED / Clear Lens	P2ASLR7L-3PSRL	393.00		
		White LED / Clear Lens	P2ASLR7L(S)-3PSRL	393.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3PSRL	294.00		
	Please mention the voltage required after the ordering code					
	Momentary/Stayput	Yellow LED / White Lens	P2ASLR1L-3PSRR	294.00		
	Integral LED	White LED / White Lens	P2ASLR1L(S)-3PSRR	393.00		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-3PSRR	294.00		
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-3PSRR	294.00		
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-3PSRR	294.00		
		Blue LED / Blue Lens	P2ASLR6L-3PSRR	461.00		
		Yellow LED / Clear Lens	P2ASLR7L-3PSRR	393.00		
		White LED / Clear Lens	P2ASLR7L(S)-3PSRR	393.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3PSRR	294.00		
	Please mention the voltage required after the ordering code					
	3 Position Illuminated Selector Actuator with LED Bulb					
	Stayput	Yellow LED Bulb / White Lens	P2ASL1LB-3P		214.50	293.50
	LED Bulb	White LED Bulb / White Lens	P2ASL1LB(S)-3P		214.50	458.00
	BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3P		214.50	293.50
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3P		214.50	293.50
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3P		214.50	293.50
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3P		214.50	478.50
		Yellow LED Bulb / Clear Lens	P2ASL7LB-3P		214.50	293.50
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3P		214.50	458.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3P		214.50	293.50
		Please mention the voltage required after the ordering code				
	Momentary	Yellow LED Bulb / White Lens	P2ASL1LB-3PSR		222.50	301.50
	LED Bulb	White LED Bulb / White Lens	P2ASL1LB(S)-3PSR		222.50	466.00
	BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3PSR		222.50	301.50
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3PSR		222.50	301.50
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3PSR		222.50	301.50
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3PSR		222.50	486.50
		Yellow LED Bulb / Clear Lens	P2ASL7LB-3PSR		222.50	301.50
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSR		222.50	466.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSR		222.50	301.50
		Please mention the voltage required after the ordering code				
		Blue LED Bulb / Blue Lens	P2ASL6LB-3PSRL		222.50	301.50
		Yellow LED Bulb / Clear Lens	P2ASL7LB-3PSRL		222.50	301.50
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSRL		222.50	466.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSRL		222.50	301.50
	Please mention the voltage required after the ordering code					
	Momentary/Stayput	Yellow LED Bulb / White Lens	P2ASL1LB-3PSRL		222.50	301.50
	LED Bulb	White LED Bulb / White Lens	P2ASL1LB(S)-3PSRL		222.50	466.00
	BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3PSRL		222.50	301.50
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3PSRL		222.50	301.50
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3PSRL		222.50	301.50
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3PSRL		222.50	486.50
		Yellow LED Bulb / Clear Lens	P2ASL7LB-3PSRL		222.50	301.50
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSRL		222.50	466.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSRL		222.50	301.50
		Please mention the voltage required after the ordering code				
	Momentary/Stayput	Yellow LED Bulb / White Lens	P2ASL1LB-3PSRR		222.50	301.50
	LED Bulb	White LED Bulb / White Lens	P2ASL1LB(S)-3PSRR		222.50	466.00
	BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3PSRR		222.50	301.50
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3PSRR		222.50	301.50
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3PSRR		222.50	301.50
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3PSRR		222.50	486.50
		Yellow LED Bulb / Clear Lens	P2ASL7LB-3PSRR		222.50	301.50
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSRR		222.50	466.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSRR		222.50	301.50
		Please mention the voltage required after the ordering code				

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

TWIN ILLUMINATED ACTUATOR WITH FILAMENT BULB					
	Type	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
				w/o bulb	with bulb
	Twin Illuminated 1 Flush, 1 Projecting (IO) Mark				
					
	Filament Bulb	Red	P2ATL5 F3P4 (IO)	149.50	178.50
	6V to 130V AC/DC	Green			
		Amber Lens			
Direct Connection	Please mention the voltage required after the ordering code				
					
	Filament Bulb	Red	P2ATLR5 F3P4 (IO)	156.50	185.50
	24V,48V,130V,230V AC/DC	Green			
		Amber Lens			
Connection with Resistor	Please mention the voltage required after the ordering code				
	Twin Illuminated Double Flush, (IO) Mark				
					
	Filament Bulb	Red	P2ATL5 F3F4 (IO)	149.50	178.50
	6V to 130V AC/DC	Green			
		Amber Lens			
Direct Connection	Please mention the voltage required after the ordering code				
					
	Filament Bulb	Red	P2ATLR5 F3F4 (IO)	156.50	185.50
	24V,48V,130V,230V AC/DC	Green			
		Amber Lens			
Connection with Resistor	Please mention the voltage required after the ordering code				

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

TWIN ILLUMINATED ACTUATORS WITH LED						
	TYPE	COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.	Price in Rs.
				with Int. LED	w/o LED Bulb	with LED Bulb
Twin Illuminated 1 Flush, 1 Projecting, (IO) Mark						
						
	Integral LED	Green	P2ATLR5L F3P4 (IO)	219.50		
	6V, 12V, 24V, 48V AC/DC	Red				
	110VAC, 110VDC,	Amber Lens / Amber LED				
	230VAC, 220VDC					
Integral LED	Please mention the voltage required after the ordering code					
						
	LED Bulb, BA9S type	Green	P2ATLR5LB F3P4 (IO)		156.50	235.50
	24V AC/DC,	Red				
	110VAC, 110VDC	Amber Lens / Amber LED				
	230VAC, 220VDC					
LED Bulb	Please mention the voltage required after the ordering code					
Twin Illuminated Double Flush, (IO) Mark						
						
	Integral LED	Green	P2ATLR5L F3F4 (IO)	219.50		
	6V, 12V, 24V, 48V AC/DC	Red				
	110VAC, 110VDC,	Amber Lens / Amber LED				
	230VAC, 220VDC					
Integral LED	Please mention the voltage required after the ordering code					
						
	LED Bulb, BA9S type	Green	P2ATLR5LB F3F4 (IO)		156.50	235.50
	24V AC/DC,	Red				
	110VAC, 110VDC	Amber Lens / Amber LED				
	230VAC, 220VDC					
LED Bulb	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

PILOT LIGHTS WITH FILAMENT BULB						
	TYPE		COLOUR	ORDERING CODE	Price in Rs.	Price in Rs.
					w/o bulb	with bulb
	Pilot Light					
			White	P2PLB1	80.00	109.00
	Filament Bulb		Green	P2PLB3	80.00	109.00
	6V to 130V AC/DC		Red	P2PLB4	80.00	109.00
			Amber	P2PLB5	80.00	109.00
			Blue	P2PLB6	80.00	109.00
			Clear	P2PLB7	80.00	109.00
			Yellow	P2PLB8	80.00	109.00
	Direct Connection	Please mention the voltage required after the ordering code				
			White	P2PLBR1	87.00	116.00
	Fil. Bulb		Green	P2PLBR3	87.00	116.00
	24V,48V,130V,230V AC/DC		Red	P2PLBR4	87.00	116.00
			Amber	P2PLBR5	87.00	116.00
			Blue	P2PLBR6	87.00	116.00
			Clear	P2PLBR7	87.00	116.00
			Yellow	P2PLBR8	87.00	116.00
	Connection with Resistor	Please mention the voltage required after the ordering code				
			White	P2PLBR1240AC	87.00	116.00
	Filament bulb		Green	P2PLBR3240AC	87.00	116.00
	230 V AC		Red	P2PLBR4240AC	87.00	116.00
			Amber	P2PLBR5240AC	87.00	116.00
			Blue	P2PLBR6240AC	87.00	116.00
			Clear	P2PLBR7240AC	87.00	116.00
			Yellow	P2PLBR8240AC	87.00	116.00
	Connection with Resistor + Diode					
	Filament bulb					
	Primary volt.	Secondary Volt.	White	P2PLBT1 XXX / YY		300.00
	110VAC	06	Green	P2PLBT3 XXX / YY		300.00
	110VAC	12	Red	P2PLBT4 XXX / YY		300.00
	110VAC	24	Amber	P2PLBT5 XXX / YY		300.00
	Primary volt.	Secondary Volt.	Blue	P2PLBT6 XXX / YY		300.00
	240VAC	06	Clear	P2PLBT7 XXX / YY		300.00
	240VAC	12	Yellow	P2PLBT8 XXX / YY		300.00
	240VAC	24				
Connection with Transformer			XXX - Primary Voltage YY - Secondary Voltage			

TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

PILOT LIGHTS

	TYPE	Colour of LED / Lens	ORDERING CODE	Price in Rs.	Price in Rs.	Price in Rs.
				with Int. LED	w/o LED Bulb	with LED Bulb
Pilot Light with Integral LED						
		Yellow LED / White Lens	P2PLBR1L	149.50		
	Integral LED	White LED / White Lens	P2PLBR1L(S)	279.50		
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2PLBR3L	149.50		
	110VAC, 110VDC,	Red LED / Red Lens	P2PLBR4L	149.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2PLBR5L	149.50		
		Blue LED / Blue Lens	P2PLBR6L	378.00		
		Yellow LED / Clear Lens	P2PLBR7L	149.50		
		White LED / Clear Lens	P2PLBR7L(S)	279.50		
		Yellow LED / Yellow Lens	P2PLBR8L	149.50		
Integral LED	Please mention the voltage required after the ordering code					
		Yellow LED / White Lens	P2PLBR1LF	149.50		
		White LED / White Lens	P2PLBR1LF(S)	279.50		
	Integral LED	Green LED / Green Lens	P2PLBR3LF	149.50		
	24V, 110V, 230V, AC	Red LED / Red Lens	P2PLBR4LF	149.50		
		Amber LED / Amber Lens	P2PLBR5LF	149.50		
		Blue LED / Blue Lens	P2PLBR6LF	378.00		
		Yellow LED / Clear Lens	P2PLBR7LF	149.50		
		White LED / Clear Lens	P2PLBR7LF(S)	279.50		
		Yellow LED / Yellow Lens	P2PLBR8LF	149.50		
Integral LED, Flasher	Please mention the voltage required after the ordering code					
		Yellow LED / White Lens	P2PLBR1LU	274.00		
	Integral LED	White LED / White Lens	P2PLBR1LU(S)	389.50		
	24V upto 240V AC/DC	Green LED / Green Lens	P2PLBR3LU	274.00		
		Red LED / Red Lens	P2PLBR4LU	274.00		
		Amber LED / Amber Lens	P2PLBR5LU	274.00		
		Blue LED / Blue Lens	P2PLBR6LU	472.00		
		Yellow LED / Clear Lens	P2PLBR7LU	274.00		
		White LED / Clear Lens	P2PLBR7LU(S)	389.50		
		Yellow LED / Yellow Lens	P2PLBR8LU	274.00		
Integral LED, Universal	Please mention the voltage required after the ordering code					
		Yellow LED / White Lens	P2PLBR1L	189.00		
	Integral LED	White LED / White Lens	P2PLBR1L(S)	320.50		
	415VAC	Green LED / Green Lens	P2PLBR3L	189.00		
		Red LED / Red Lens	P2PLBR4L	189.00		
		Amber LED / Amber Lens	P2PLBR5L	189.00		
		Blue LED / Blue Lens	P2PLBR6L	417.00		
		Yellow LED / Clear Lens	P2PLBR7L	189.00		
		White LED / Clear Lens	P2PLBR7L(S)	320.50		
		Yellow LED / Yellow Lens	P2PLBR8L	189.00		
Integral LED, 415VAC	Please mention the voltage required after the ordering code					
		Yellow LED / White Lens	P2PLBR1L**TL	194.50		
	Integral LED , Test Lamp	White LED / White Lens	P2PLBR1L(S)**TL	324.00		
	24V AC/DC,	Green LED / Green Lens	P2PLBR3L**TL	194.50		
	110VAC, 110VDC	Red LED / Red Lens	P2PLBR4L**TL	194.50		
	230VAC, 220VDC	Amber LED / Amber Lens	P2PLBR5L**TL	194.50		
		Blue LED / Blue Lens	P2PLBR6L**TL	422.50		
		Yellow LED / Clear Lens	P2PLBR7L**TL	194.50		
		White LED / Clear Lens	P2PLBR7L(S)**TL	324.00		
		Yellow LED / Yellow Lens	P2PLBR8L**TL	194.50		
Integral LED, Test Lamp	** Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

PILOT LIGHTS						
	TYPE	Colour of LED / Lens	ORDERING CODE	Price in Rs.	Price in Rs.	Price in Rs.
				with Int. LED	w/o LED Bulb	with LED Bulb
	Pilot Light with LED Bulb					
		Yellow LED Bulb / White Lens	P2PLB1LB		80.00	159.00
	LED Bulb, BA9S type	White LED Bulb / White Lens	P2PLB1LB(S)		80.00	323.50
	24V AC/DC,	Green LED Bulb / Green Lens	P2PLB3LB		80.00	159.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2PLB4LB		80.00	159.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2PLB5LB		80.00	159.00
		Blue LED Bulb / Blue Lens	P2PLB6LB		80.00	344.00
		Yellow LED Bulb / Clear Lens	P2PLB7LB		80.00	159.00
		White LED Bulb/ Clear Lens	P2PLB7LB(S)		80.00	323.50
		Yellow LED Bulb / Yellow Lens	P2PLB8LB		80.00	159.00
LED Bulb						
						
	LED bulb		Yellow LED Bulb / White Lens	P2PLBT1LB XXX / YY		378.00
	Pri. Volt	Sec. Volt	White LED Bulb / White Lens	P2PLB1LB(S) XXX / YY		540.00
	110VAC	6	Green LED Bulb / Green Lens	P2PLB3LB XXX / YY		378.00
	110VAC	12	Red LED Bulb / Red Lens	P2PLB4LB XXX / YY		378.00
	110VAC	24	Amber LED Bulb / Amber Lens	P2PLB5LB XXX / YY		378.00
	Pri. Volt	Sec. Volt	Blue LED Bulb / Blue Lens	P2PLB6LB XXX / YY		564.00
	240VAC	6	Yellow LED Bulb / Clear Lens	P2PLB7LB XXX / YY		378.00
	240VAC	12	White LED Bulb/ Clear Lens	P2PLB7LB(S) XXX / YY		540.00
	240VAC	24	Yellow LED Bulb / Yellow Lens	P2PLB8LB XXX / YY		378.00
Connection with Transformer			XXX - Primary Voltage			
			YY - Secondary Voltage			

TEKNIC

MRP w.e.f. 02.05.2018

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

LED PILOT LIGHTS ECONOMY SERIES

	Type	Colour of LED / Lens	ORDERING CODE	Price in Rs.
				with Int. LED
	Integral LED	Yellow LED / White Lens	3PLBR1L	129.00
	6V, 12V, 24V, 48V AC/DC	White LED / White Lens	3PLBR1L(S)	264.50
	110VAC, 110VDC,	Green LED / Green Lens	3PLBR3L	129.00
	230VAC, 220VDC	Red LED / Red Lens	3PLBR4L	129.00
		Amber LED / Amber Lens	3PLBR5L	129.00
		Blue LED / Blue Lens	3PLBR6L	365.00
		Yellow LED / Clear Lens	3PLBR7L	129.00
		White LED / Clear Lens	3PLBR7L(S)	264.50
		Yellow LED / Yellow Lens	3PLBR8L	129.00
	Please mention the voltage required after the ordering code			
	Integral LED, Universal	Yellow LED / White Lens	3PLBR1LU	215.00
	24V upto 240V AC/DC	White LED / White Lens	3PLBR1LU(S)	338.50
		Green LED / Green Lens	3PLBR3LU	215.00
		Red LED / Red Lens	3PLBR4LU	215.00
		Amber LED / Amber Lens	3PLBR5LU	215.00
		Blue LED / Blue Lens	3PLBR6LU	439.00
		Yellow LED / Clear Lens	3PLBR7LU	215.00
		White LED / Clear Lens	3PLBR7LU(S)	338.50
		Yellow LED / Yellow Lens	3PLBR8LU	215.00
	Integral LED, dual colour	Green LED	3PLBR34L	208.00
	24VAC	Red LED		
	110VAC	White Lens		
	230VAC			
	Please mention the voltage required after the ordering code			
	Other Colour Combinations available on request.			
















TEKNIC

MRP w.e.f. 02.05.2018
Control & Signalling Devices 22.5 Ø
METALLIC SERIES

CONTACT ELEMENTS					
	TYPE			ORDERING CODE	Price in Rs.
	PANEL MOUNTING				
					
	NORMALLY OPEN (NO)			S1	50.00
	SILVER CONTACT				
	NORMALLY OPEN (NO)			S1S	50.00
	SILVER CONTACT				
	(BREAK BEFORE MAKE)				
					
	NORMALLY OPEN (NO)			S1E	50.00
	SILVER CONTACT				
	(MAKE BEFORE BREAK)				
					
	NORMALLY CLOSED (NC)			S2	50.00
	SILVER CONTACT				
					
	NORMALLY OPEN (NO)			S3	140.50
	GOLD CONTACT				
	NORMALLY CLOSED (NC)			S4	140.50
	GOLD CONTACT				
	BASE MOUNTING				
	NORMALLY OPEN (NO)			S5	50.00
	SILVER CONTACT				
	NORMALLY CLOSED (NC)			S6	50.00
	SILVER CONTACT				
	NORMALLY OPEN (NO)			S7	140.50
	GOLD CONTACTS				
	NORMALLY CLOSED (NC)			S8	140.50
	GOLD CONTACTS				

Common types of control and signalling devices Ø 22.5 P series

Description	Type of Actuator or Lense Assembly	Colour of Actuator or Lense	Contact Elements NO = S1 NC = S2 or Lamp Holder	Type of complete Control or Signalling Device
Flush Pushbutton	P2AF3	Green	1NO	P2PSF310
	P2AF8	Yellow	2NO+1NC	P2PSF821
Projecting Pushbutton	P2AP2	Black	2NC	P2PSP202
	P2AP4	Red	3NO+3NC	P2PSP433
Booted Pushbutton	P2AB3BT7	Green	2NO	P2PSB3BT720
	P2AB4BT7	Red	2NC	P2PSB4BT702
Mushroom Pushbutton Spring return	P2AM2	Black	1NO+1NC	P2PSM211
	P2AM4	Red	1NC	P2PSM401
Mushroom Pushbutton latching turn to release	P2AML2	Black	1NC	P2PSML201
	P2AML4	Red	2NO+2NC	P2PSML422
Mushroom Pushbutton latching, key to release	P2AMLKB4	Red	1NO+1NC	P2PSMLKB411
Selector Actuator(2 Pos)	P2AS2-2P	Black	1NO	P2PSS210-2P
Selector Actuator(3 Pos)	P2AS2-3P	Black	1NO+1NC	P2PSS211-3P
Key Actuator (2 Pos), key removable in both positions Key Actuator (3 Pos), key removable in left & right positions	P2AK2-2PB		1NO	P2PSK210-2PB
	P2AK2-3PB		1NO+1NC	P2PSK211-3PB
Twin Pushbutton marked "I O"	P2ATF2-F4-IO	Flush-Black	1 NO	P2PSTF210-F401-IO
Flush - Flush		Flush-Red	1 NC	
Twin Pushbutton not marked	P2ATF3-P4	Flush-Green	1NO+1NC	P2PSTF311-P411
Flush - Projecting		Proj-Red	1NO+1NC	
Flush Illuminated Pushbutton with integral LED for 24V DC Projecting Illuminated Pushbutton with integral LED for 230V AC	P2ALRF3L24DC	Green	1NO+1NC	P2PSLRF3L1124DC
	P2ALRP4L230AC	Red	1NO+1NC	P2PSLRP4L11230AC
Twin Luminous Pushbutton marked "I O" Flush - Flush direct connection (130V)	P2ATL3-F2 -F4 IO130	Lense-Green Flush-Black Flush-Red	1 NO + 1 NC 1 NC	P2PSTL3F211-F401-IO130
Twin Luminous Pushbutton not marked Flush - Projecting with resistance and (230AC)	P2ATLR5-F3 -P4230	Lense-Amber Flush-Green Proj.-Red	1 NO 1 NC	P2PSTLR5F310-P401 230
Pilot Light for direct connection upto 130V	P2PLLA3	Green	2LHB130	P2PLB3130
	P2PLLA4	Red	2LHB130	2PLPB4130
Pilot Light through resistor and diode for 230 V AC. Bulb:130 V.	P2PLLA5	Amber	2LHBR230 AC	P2PLBR5230AC
	P2PLLA6	Blue	2LHBR230 AC	P2PLBR6230AC
Pilot Light with transformer for 230 V Bulb:24 V.	P2PLLA4	Red	2LHBT230/24	P2PLBT4230/24
	P2PLLA3	Green	2LHBT230/24	P2PLBT3230/24
Pilot Light with LED bulb for 110V AC Bulb: 110V	P2PLLA5	Amber	2LHLB110	P2PLB5LB110
Pilot light economy type with integral LED for 220 DC	—	White	—	3PLBR1L220DC



TEKNIC

GENERAL TERMS AND CONDITIONS

General Terms : All prices are on maximum retail price basis, GST extra as applicable.

Prices are subject to revision without notice and ruling at the time of delivery.

This price list supersedes all previous Price Lists.

Warranty Policy : TEKNIC equipment is guaranteed under the following terms:

For a period of 12 months from the date of manufacturing. TEKNIC guarantees that its products are free from defects in material and workmanship, with the exception of consumables rendered unserviceable through normal use. During the said period. TEKNIC will replace or repair all parts acknowledged as defective due to factory workmanship and which have been returned in a timely manner by Buyer to TEKNIC and all costs and duties paid, together with a detailed description of the failure and a certified declaration of the number of hours of operation. Repaired or replaced parts will be redelivered FCA (named place) as per INCOTERMS 2000. This warranty is subject to the provision of correct usage, proper maintenance and does not cover defects arising out of fire, faulty operation, accident, inefficient maintenance and willful or accidental damage.

TEKNIC guarantee applies to all equipment, parts and components stored, installed, protected, maintained and used in accordance with TEKNIC specifications and instructions, and respecting the rules for normal use, without any modification by Buyer.

All other conditions or warranties, whether express or implied, relating to the quality and operation of the equipment are excluded, as well as any liability for loss or damage caused directly or indirectly by the equipment or resulting from its use.

Proof of purchase to be provided to avail warranty.

TEKNIC ELECTRIC (I) PVT. LTD.

Reg.Office : 116, Hammersmith Industrial Estate, Mahim (W), Mumbai – 400016. Tel.:43626500,24451648 Fax : 24468185

Head Office : 703/704/705, Madhava, Bandra Kurla Complex, Bandra (E), Mumbai – 400051. Tel : +91-22-42532500 Fax :26592391

Works : 65, Marol Co-op. Industrial Estate Ltd., M. Vassanji Road, Andheri (East), Mumbai – 400059. Tel : +91-22-42534500 Fax:28504273

Email : teknich@teknich.co.in : mfg@teknich.co.in Website : www.teknich.co.in

TEKNIC

PRICE LIST FOR CONTROL STATIONS IN ALUMINIUM HOUSING EFFECTIVE FROM 02.05.2018

Sr. No.	Description of Enclosure	Part No.	Enclosure Size	Price ₹ Per Unit	MOQ
CONTROL STATIONS IN ALUMINIUM HOUSING					
Aluminium Control Stations with Grey cover (RAL 7032) / Black housing					
001	1 WAY	2005A13	80 mm x 90 mm x 52 mm	380.00	50 nos
002	2 WAY	2006C13	80 mm x 135 mm x 52 mm	470.00	
003	3 WAY	2007E13	80 mm x 180 mm x 52 mm	540.00	25 nos
004	4 WAY	2010G13	80 mm X 225 mm X 52 mm	630.00	
CONTROL STATIONS IN ALUMINIUM HOUSING					
Aluminium Control Stations with Yellow cover / Black housing					
001	1 WAY	2005A10	80 mm X 90 mm X 52 mm	380.00	50 nos
002	2 WAY	2017C10	80 mm X 135 mm X 52 mm	470.00	
003	3 WAY	2014E14	80 mm X 180 mm X 52 mm	540.00	25 nos
004	4 WAY	2011G10	80 mm X 225 mm X 52 mm	630.00	
CONTROL STATIONS IN ALUMINIUM HOUSING					
Aluminium Control Stations with Grey cover (RAL 7032) / Black housing					
001	1 WAY	7001A13	80 mm X 90 mm X 70 mm	450.00	50 nos
002	2 WAY	7001C13	80 mm X 135 mm X 70 mm	570.00	
003	3 WAY	7001E13	80 mm X 180 mm X 70 mm	655.00	25 nos
004	4 WAY	7002G10	80 mm X 225 mm X 70 mm	850.00	
CONTROL STATIONS IN ALUMINIUM HOUSING					
Aluminium Control Stations with Yellow cover / Black housing					
001	1 WAY	7002A10	80 mm X 90 mm X 70 mm	450.00	50 nos
002	2 WAY	7002C10	80 mm X 135 mm X 70 mm	570.00	
003	3 WAY	7002E11	80 mm X 180 mm X 70 mm	655.00	25 nos
004	4 WAY	7001G13	80 mm X 225 mm X 70 mm	850.00	
CONTROL STATIONS IN ALUMINIUM HOUSING					
Aluminium Control Stations with Grey (RAL 7032)					
001	6 WAY	2009J14	180mm x 140mm x 70 mm	1,030.00	10 nos
002	6 WAY	2010J14	180mm x 200mm x 70 mm	1,460.00	
003	9 WAY	2007J14	200mm x 200mm x 70 mm	1,585.00	
004	9 WAY	2009L14	200mm x 250mm x 90 mm	2,100.00	

HSN CODE : 85371000

TEKNIC

PRICE LIST FOR CONTROL STATIONS IN PLASTIC HOUSING (ABS) EFFECTIVE FROM 02.05.2018

Sr. No.	Description of Enclosure	Part No.	Enclosure Size	Price ₹ Per Unit	MOQ
CONTROL STATIONS IN PLASTIC HOUSING					
Plastic Control Stations with White cover / Black housing					
001	1 WAY	4005A11	73 mm x 73 mm x 51 mm	195.00	50 nos
002	2 WAY	4005C11	73 mm x 113 mm x 51 mm	230.00	
003	3 WAY	4005E11	73 mm x 153 mm x 51 mm	290.00	25 nos
004	4 WAY	4005G11	73 mm x 193 mm x 51 mm	410.00	
005	5 WAY	4005S11	73 mm x 233 mm x 51 mm	530.00	
006	6 WAY	4005I11	73 mm x 273 mm x 51 mm	675.00	
CONTROL STATIONS IN PLASTIC HOUSING					
Plastic Control Stations with Yellow cover / Black housing					
001	1 WAY	4006A10	73 mm x 73 mm x 51 mm	195.00	50 nos
002	2 WAY	4006C10	73 mm x 113 mm x 51 mm	230.00	
003	3 WAY	4006E10	73 mm x 153 mm x 51 mm	290.00	25 nos
004	4 WAY	4006G10	73 mm x 193 mm x 51 mm	410.00	
005	5 WAY	4006S10	73 mm x 233 mm x 51 mm	530.00	
006	6 WAY	4006I10	73 mm x 273 mm x 51 mm	675.00	
CONTROL STATIONS IN PLASTIC HOUSING					
Plastic Control Stations with Grey cover / Grey housing					
001	1 WAY	4007A17	73 mm x 73 mm x 51 mm	195.00	50 nos
002	2 WAY	4007C17	73 mm x 113 mm x 51 mm	230.00	
003	3 WAY	4007E17	73 mm x 153 mm x 51 mm	290.00	25 nos
004	4 WAY	4007G17	73 mm x 193 mm x 51 mm	410.00	
005	5 WAY	4007S17	73 mm x 233 mm x 51 mm	530.00	
006	6 WAY	4007I17	73 mm x 273 mm x 51 mm	675.00	

HSN CODE : 85371000

TEKNIC

GENERAL TERMS AND CONDITIONS

General Terms : All prices are on maximum retail price basis, GST extra as applicable.

Prices are subject to revision without notice and ruling at the time of delivery.

This price list supersedes all previous Price Lists.

Warranty Policy : TEKNIC equipment is guaranteed under the following terms:

For a period of 12 months from the date of manufacturing. TEKNIC guarantees that its products are free from defects in material and workmanship, with the exception of consumables rendered unserviceable through normal use. During the said period. TEKNIC will replace or repair all parts acknowledged as defective due to factory workmanship and which have been returned in a timely manner by Buyer to TEKNIC and all costs and duties paid, together with a detailed description of the failure and a certified declaration of the number of hours of operation. Repaired or replaced parts will be redelivered FCA (named place) as per INCOTERMS 2000. This warranty is subject to the provision of correct usage, proper maintenance and does not cover defects arising out of fire, faulty operation, accident, inefficient maintenance and willful or accidental damage.

TEKNIC guarantee applies to all equipment, parts and components stored, installed, protected, maintained and used in accordance with TEKNIC specifications and instructions, and respecting the rules for normal use, without any modification by Buyer.

All other conditions or warranties, whether express or implied, relating to the quality and operation of the equipment are excluded, as well as any liability for loss or damage caused directly or indirectly by the equipment or resulting from its use.

Proof of purchase to be provided to avail warranty.

TEKNIC ELECTRIC (I) PVT. LTD.

Reg.Office : 116, Hammersmith Industrial Estate, Mahim (W), Mumbai – 400016. Tel.:43626500,24451648 Fax : 24468185

Head Office : 703/704/705, Madhava, Bandra Kurla Complex, Bandra (E), Mumbai – 400051. Tel : +91-22-42532500 Fax :26592391

Works : 65, Marol Co-op. Industrial Estate Ltd., M. Vassanji Road, Andheri (East), Mumbai – 400059. Tel : +91-22-42534500 Fax:28504273

Email : teknich@teknich.co.in : mfg@teknich.co.in Website : www.teknich.co.in

TEKNIC

MRP w.e.f. 02.05.2018


Accessories for Control & Signalling Devices 22.5 Ø

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
	PADLOCK			
	For Locking Estop in actuated position		2PAM7	68.50
	Head Ø 40mm			
	HSN CODE : 85389000			
	PADLOCK			
	For locking Estop in unactuated position		2PAM7EH	95.00
	Head Ø 40mm			
	HSN CODE : 85389000			
	SHROUD			
	For Regular Estop		2ESS1	68.50
	Head Ø 40mm			
	HSN CODE :40169990			
	SHROUD			
	For Estop, Trigger Type			
	Head Ø 40mm		2ESS2	78.00
	HSN CODE :40169990			
 	SHROUD			
	For Estop,		2ESS3	112.50
	For Estop, Trigger Type			
	Head Ø 40mm			
	Shaft for fixing external Padlock		2ESS3S	18.00
	PADLOCK			
	For Estop		2PAM	72.00
	Head Ø 40mm			
	HSN CODE : 85389000			
	PADLOCK			
	For Flush / Projecting Actuator		2PAP	72.00
	HSN CODE : 85389000			

TEKNIC

MRP w.e.f. 02.05.2018


Accessories for Control & Signalling Devices 22.5 Ø

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
	LENS	TransWhite	2PLL1	22.00
	For Pilot lights	Green	2PLL3	22.00
	with Filament Bulb	Red	2PLL4	22.00
		Amber	2PLL5	22.00
		Blue	2PLL6	22.00
	HSN CODE : 85389000	Clear	2PLL7	22.00
		Yellow	2PLL8	22.00
	LENS	TransWhite	2PLL1L	22.00
	For Pilot lights	Green	2PLL3L	22.00
	with LED	Red	2PLL4L	22.00
		Amber	2PLL5L	22.00
		Blue	2PLL6L	22.00
	HSN CODE : 85389000	Clear	2PLL7L	22.00
		Yellow	2PLL8L	22.00
	LENS	TransWhite	2LAL1	22.00
	For Illuminated Actuator	Green	2LAL3	22.00
	with Filament Bulb	Red	2LAL4	22.00
		Amber	2LAL5	22.00
		Blue	2LAL6	22.00
		Clear	2LAL7	22.00
	HSN CODE : 85389000	Yellow	2LAL8	22.00
	LENS	TransWhite	2LAL1L	22.00
	For Illuminated Actuator	Green	2LAL3L	22.00
	with LED	Red	2LAL4L	22.00
		Amber	2LAL5L	22.00
		Blue	2LAL6L	22.00
		Clear	2LAL7L	22.00
	HSN CODE : 85389000	Yellow	2LAL8L	22.00

TEKNIC

MRP w.e.f. 02.05.2018

Accessories for Control & Signalling Devices 22.5 Ø

	Legend Plates (Aluminum)								
	1 POSITION			2 POSITION					
	LEGEND	ORDERING CODE	Price in Rs.	LEGEND		ORDERING CODE	Price in Rs.		
	START	2LP01	17.00	START	STOP	2LP28	17.00		
	STOP	2LP02	17.00	UP	DOWN	2LP29	17.00		
	FORWARD	2LP03	17.00	ON	OFF	2LP30	17.00		
	REVERSE	2LP04	17.00	REV.	FWD.	2LP31	17.00		
	UP	2LP05	17.00	AUTO	HAND	2LP32	17.00		
	DOWN	2LP06	17.00	LOCAL	EMOT	2LP33	17.00		
	OPEN	2LP07	17.00	I	II	2LP34	17.00		
	CLOSE	2LP08	17.00	O	I	2LP35	17.00		
	AUTO	2LP09	17.00						
	HAND	2LP10	17.00						
	SLOW	2LP11	17.00	3 POSITION					
	FAST	2LP12	17.00	LEGEND		ORDERING CODE	Price in Rs.		
	RESET	2LP13	17.00	HAND	O	AUTO	2LP36	17.00	
	INCH	2LP14	17.00	SLOW	OFF	FAST	2LP37	17.00	
	ON	2LP15	17.00	UP	OFF	DOWN	2LP38	17.00	
	OFF	2LP16	17.00	I	O	II	2LP39	17.00	
	RIGHT	2LP17	17.00						
	LEFT	2LP18	17.00	HSN CODE : 83100090					
	TRIP	2LP19	17.00	OTHERS					
	POWER ON	2LP20	17.00	LEGEND		ORDERING CODE	Price in Rs.		
	LOCAL	2LP21	17.00	BLANK ALUMINUM		2LP40	17.00		
	REMOTE	2LP22	17.00						
	TEST	2LP23	17.00	HSN CODE : 83100090					
	RUN	2LP24	17.00						
	R PHASE	2LP25	17.00						
Y PHASE	2LP26	17.00							
B PHASE	2LP27	17.00							
HSN CODE : 83100090									
	Legend Plate E-STOP	ORDERING CODE	Price in Rs.		Spanner (Tightening Tool)		ORDERING CODE	Price in Rs.	
	Yellow colour 60mm Ø with Black Characters	2LP41	17.00		For tightening of lock nuts of plastic series actuator & pilot lights		P2SPNR	26.50	
	HSN CODE : 85389000								
	Blanking plug	ORDERING CODE	Price in Rs.		Push Push Mechanism		ORDERING CODE	Price in Rs.	
	For 22.5 Ø hole, Black	2BP2	23.00		For converting momentary actuators into latching type		2PPM	38.50	
	HSN CODE : 85389000				HSN CODE : 85389000				
	FIXING FLANGE	ORDERING CODE	Price in Rs.		Fixing Flange		ORDERING CODE	Price in Rs.	
	Metal Bracket for actuators & pilot lights	2BRK	30.00				P2BRK	20.50	
	HSN CODE : 85389000				Plastic Bracket for actuators & pilot lights				
	ADAPTOR	ORDERING CODE	Price in Rs.		Spare Key (for Key Selector Actuator)		ORDERING CODE	Price in Rs.	
	Adaptor for fixing 22.5 Ø devices in 30.5 Ø cutout.	2ADP	17.00		Single Key		2KY-1	33.00	
					Two Keys		2KY-2	66.00	
	HSN CODE : 85389000				HSN CODE : 83017000				
	Boots	ORDERING CODE	Price in Rs.		Filament Bulb		ORDERING CODE	Price in Rs.	
	Transparent Boot for non-illuminated flush actuators (2AF series)	2BT7	35.00		XX Please Put Voltage namely 12, 24, 30, 48, 130		BA9SXX	29.00	
	Boot for illuminated flush actuators	2ALBT7	41.00		HSN CODE : 85391000				
	Boot for twin non-illuminated actuators	2ATBT7	45.00		LED Bulb		COLOUR	ORDERING CODE	Price in Rs.
	Boot for twin illuminated actuators	2ATLBT7	47.00		Please mention supply voltage 24 / 48 / 110AC / 110DC / 230AC / 220 DC after the part no. of LED bulbs		SPECIAL WHITE	MCB91	243.50
	Boots for booted actuators (2AB series)	2BT2	35.00				GREEN	MCB93	79.00
		2BT3	35.00				RED	MCB94	79.00
		2BT4	35.00				AMBER	MCB95	79.00
		2BT6	35.00				BLUE	MCB96	264.00
HSN CODE : 40169990			2BT8		35.00	HSN CODE : 85414090		YELLOW	MCB98